



State of Connecticut

Lookup Detail View

Contact Information

Name	Address	PHONE	Provider Name	Provider Phone
LITCHFIELD ROAD	2240 Litchfield Street Watertown, CT 06795	860-274-1588	OAK HILL (CIB)	(860) 242-2274NULL

License Information

License	License Type	Effective Date	Expiration Date	Status
DSLA.021302	Community Living Arrangement	03/01/2022	02/29/2024	ACTIVE

Inspection History

Number	Date	Type	Violations [Regulation] (http://www.ct.gov/dds/cwp/view.asp?a=2839&q=389970)
X2023-774	10/12/2023	REVISIT	05b - POC implementation timeliness - 17a-227-05b 15a4B - Harm reporting and investigations - 17a-227-15a4B
X2022-21	01/25/2022	DSLA BIENNIAL	11d - Hazard prevention - 17a-227-11d 11g - Fire extinguishers - 17a-227-11g 15b2 - Behavior medication given by regulation - 17a-227-15b2 15b3B - Behavior management techniques authorized - 17a-227-15b3B 17k - Annual OPS based on assessment - 17a-227-17k 18a1 - Medication Administration Regulations - 17a-227-18a1 18a3A - Coordination, assessment, monitoring of medical services - 17a-227-18a3A 18a4A - Medical testing and follow-up - 17a-227-18a4A 18b1 - Dental exams and follow-up - 17a-227-18b1
X2020-116	02/11/2020	DSLA BIENNIAL	11d - Hazard prevention - 17a-227-11d 11g - Fire extinguishers - 17a-227-11g 12b - Emergency response training/monthly fire drills - 17a-227-12b 14b3 - Health and behavior training timeliness - 17a-227-14b3 14b4 - Residence routines training timeliness - 17a-227-14b4 15a1 - Fully informed of rights - 17a-227-15a1 17e - OPS developed on individual's current status - 17a-227-17e 18a3A - Coordination, assessment, monitoring of medical services - 17a-227-18a3A
X2019-536	06/04/2019	REVISIT	05b - POC implementation timeliness - 17a-227-05b

Number	Date	Type	Violations [Regulation] (http://www.ct.gov/dds/cwp/view.asp?a=2839&q=389970)
X2018-12360	02/16/2018	DSLA ANNUAL	11d - Hazard prevention - 17a-227-11d 14a - Specified training requirements - 17a-227-14a 14b5 - Residence emergency procedures training timeliness - 17a-227-14b5 15b3B - Behavior management techniques authorized - 17a-227-15b3B 17j - Data collected on programs - 17a-227-17j
X2017-12071	09/06/2017	REVISIT	11g - Fire extinguishers - 17a-227-11g 12b - Emergency response training/monthly fire drills - 17a-227-12b
X2017-11680	02/03/2017	DSLA INITIAL	03a4 - Public Health septic system report - 17a-227-03a4 03b5 - Emergency procedures training - 17a-227-03b5 18a1 - Medication Administration Regulations - 17a-227-18a1

Generated on: 2/6/2024 10:17:11 AM