



30 SERIES



REGULATORY SIGNS

1:15



Ground Mounted

REV'D 4/17

Created cadd file


SIGN NUMBER	30_3402
PANEL SIZE	2'-6" x 2'-0"
TOTAL (Sq.ft.)	5.0 Sq.Ft.
DATE	Apr 24, 2017
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_30_3402.dgn

[illegible]

1:15



Updated Legend

[illegible]


SERIES/SIZE

[illegible]

1:15

[illegible]

1:15



Ground Mounted

REV'D 4/17

Created cadd file

SIGN NUMBER	30_3406
PANEL SIZE	2'-6" x 2'-0"
TOTAL (Sq.ft.)	5.0 Sq.Ft.
DATE	Apr 24, 2017
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

FILE :TR_MSH_SIN_30_3406.dgn

[illegible]

1:15



Ground Mounted

REV'D 4/17

Created cadd file


SIGN NUMBER	30_3407
PANEL SIZE	2'-6" x 2'-0"
TOTAL (Sq.ft.)	5.0 Sq.Ft.
DATE	Apr 24, 2017
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_30_3407.dgn

[illegible]


1:20

[illegible]

Jul 07, 2018

[illegible]


1:20

[illegible]

Jul 07, 2018

[illegible]

1:20




REV'D 1/10
REVISED SHEETING TYPE.

SIGN NUMBER	31_0103
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:25



Ground Mounted


REV'D /

[illegible]

Jul 07, 2018

[illegible]

1:15




DOT ARROWHEAD D-4
DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : LNC DESIGNED BY : GMF CH

REV'D 1/10
REVISED SHEETING TYPE.

SIGN NUMBER	31_0116
SIGN PANEL	6.0
EXIT CROWN	--
TOTAL (Sq.ft.)	6.0
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:15



MATERIAL : .080 THK.SHEET ALUMINUM

SIGN SUPPORT NO. N/A

LOCATION : N/A

ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


REV'D 1/10

REVISED SHEETING TYPE.

SIGN NUMBER	31_0117
SIGN PANEL	6.25
EXIT CROWN	----
TOTAL (Sq.ft.)	6.25
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:15



DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : LNC DESIGNED BY : GMF CH


REV'D 1/10

REVISED SHEETING TYPE.

SIGN NUMBER	31_0118
SIGN PANEL	6.3 Sq.Ft.
EXIT CROWN	
TOTAL (Sq.ft.)	
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:35




REV'D 1/10
REVISED SHEETING TYPE.

SIGN NUMBER	31_0119
SIGN PANEL	36.0
EXIT CROWN	--
TOTAL (Sq.ft.)	36.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	6"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:17




ENGINEER : SPC DESIGNED BY : GMF CHECKED BY : _____

REV'D /

SIGN NUMBER	31_0120
SIGN PANEL	9.0
EXIT CROWN	--
TOTAL (Sq.ft.)	9.0
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:17

[illegible][illegible]

1:10

Technical drawing of a rectangular sign with a decorative border and a central graphic. The sign is 2'-0" wide and 1'-6" high. The central graphic features a stylized 'C' shape with a central vertical line and two curved sides, each with a radius of 5". The sign has a thick black border. Dimensions are provided for the border, the central graphic, and the overall sign size.

Overall dimensions: 2'-0" (width) x 1'-6" (height).

Central graphic dimensions:

- Top horizontal segments: 9.25" (left) and 9.25" (right).
- Vertical segments on the sides: 8" (left) and 8" (right).
- Radius of the curved sides: $R=5"$.
- Horizontal distance from the center line to the start of the curve: 5".
- Horizontal distance from the center line to the end of the curve: $2\frac{1}{2}"$.
- Vertical distance from the center line to the bottom of the curve: 3".
- Horizontal distance from the center line to the bottom of the curve: 0.75".

Text at the top right: BUT DOES TURNING M

Ground Mounted


Revised sign size to 24" x 18"

[illegible]

Jul 29, 2020

[illegible]

1:25



Ground Mounted


REV'D /

[illegible]

Jul 07, 2018

[illegible]

1:12



DOT ARROWHEAD D-6
DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : LNC DESIGNED BY : GMF CH


REV'D 1/10

REVISED SHEETING TYPE.

SIGN NUMBER	31_0135
SIGN PANEL	4.0
EXIT CROWN	--
TOTAL (Sq.ft.)	4.0
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:12




REV'D 1/10
REVISED SHEETING TYPE.

SYMBOL	ROT	X	Y	WID	HT
DOT_D9	0	6.8	8.5	12.6	13.1

[illegible]

1:15



Material : .080 Thick Sheet Aluminum

Location : Various

Engineer : B. Schilling , Designed By: J. Fascione, Checked By:_____

Ground Mounted

REV'D 4/17


Created cadd file

SYMBOL	ROT	X	Y	WID	HT
ARUP	0	8.2	8.5	7.6	13

FILE :TR_MSH_SIN_31_0139.dgn

[illegible]

SIGN DETAIL
1:5



SIGN NUMBER	31_0148
PANEL SIZE	2'-0" x 2'-0"
TOTAL (Sq.ft.)	4.0 Sq.Ft.
DATE	Apr 25, 2017
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: /Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT

REV'D 4/17
Created cadd file

FILE :TR_MSH_SIN_31_0148.dgn

Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Location : Various
Engineer : B. Schilling, Designed By: J. Fascione, Checked By:_____
Ground Mounted


1:15



REV'D 1/10
REVISED SHEETING TYPE.

[illegible][illegible]

1:15




ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

REV'D 1/10
REVISED SHEETING TYPE.

SIGN NUMBER	31_0158
SIGN PANEL	7.5
EXIT CROWN	--
TOTAL (Sq.ft.)	7.5
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: /Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:10




ARROWS AND SHAFTS ARE SOLID
DOT ARROW D-5
DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : BAS DESIGNED BY : JMF CH

SIGN NUMBER	31-0161
SIGN PANEL	4.0
EXIT CROWN	--
TOTAL (Sq.ft.)	4.0
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

REV'D /

1:12



Ground Mounted

REV'D 7/20

Revised sign size to 30" x 24"


SIGN NUMBER	31-0175
PANEL SIZE	2'-6" x 2'-0"
SIGN AREA	5.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jul 29, 2020

[illegible]

1:10



ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

SIGN NUMBER	31-0183
SIGN PANEL	7.5
EXIT CROWN	--
TOTAL (Sq.ft.)	7.5
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT

REV'D 8/10

REVISED SHEETING TYPE.

[illegible]

1:10



ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

SIGN NUMBER	31-0184
SIGN PANEL	7.5
EXIT CROWN	--
TOTAL (Sq.ft.)	7.5
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT

REV'D 8/10

REVISED SHEETING TYPE.

[illegible]

1:10



ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

SIGN NUMBER	31-0187	
SIGN PANEL	7.5	
EXIT CROWN	--	
TOTAL (Sq.ft.)	7.5	
BDR INSET/WIDTH	0.5" / 0.75"	
CORNER RADIUS	1.875"	
BACKGROUND	TYPE:	*
	COLOR:	White
LEGEND/BORDER	TYPE:	*
	COLOR:	Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".		


SYMBOL	ROT	X	Y	WID	HT

REV'D 8/10

REVISED SHEETING TYPE.

[illegible]

1:8




DOT ARROW D-6
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : LNC DESIGNED BY : GMF CH

SIGN NUMBER	31-0206
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75" /1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: /Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

REV'D 8/10
REVISED SHEETING TYPE.

1:10



SYMBOL	ROT	X	Y	WID	HT


REV'D

9/10

REVISED SHEETING TYPE.

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 9/10
REVISED SHEETING TYPE.

LETTER POSITIONS (X)

[illegible]

1:10



ARROWHEAD DOT D-6
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CH

SIGN NUMBER	31-0210
SIGN PANEL	3'-0" x 3'-0"
MUTCD	R3-8
TOTAL (Sq.ft.)	9.0 Sq.Ft.
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black

* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	X	Y	WID	HT

REV'D 7/20
Removed the word "ONLY".

7/30/2020

1:20




Ground Mounted

[illegible]

April 25, 2019

[illegible]

1:10



LOCATION : N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : LNC

SIGN NUMBER	31-0212
SIGN PANEL	7.5
EXIT CROWN	--
TOTAL (Sq.ft.)	7.5
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

REV'D 9/10
REVISED SHEETING TYPE.

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 7/20
Removed the word "ONLY".

7/30/2020

1:10



SYMBOL	ROT	X	Y	WID	HT


REV'D /

7/30/2020

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK,SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CH

[illegible]


1:10



SYMBOL	ROT	X	Y	WID	HT

[illegible]

1:10




ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : LNC

REV'D 9/10
REVISED SHEETING TYPE.

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 9/10

REVISED SHEETING TYPE.

[illegible]

1:10



SYMBOL	ROT	X	Y	WID	HT


REV'D

9/10

REVISED SHEETING TYPE.

[illegible]

1:10



ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : LNC

SIGN NUMBER	31-0222
SIGN PANEL	6.25
EXIT CROWN	--
TOTAL (Sq.ft.)	6.25
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


[illegible]

REV'D 9/10

REVISED SHEETING TYPE.

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 9/10

REVISED SHEETING TYPE.

[illegible]

1:10



SYMBOL	ROT	X	Y	WID	HT

REV'D 9/10


REVISED SHEETING TYPE.

DATE

BY

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 9/10

REVISED SHEETING TYPE.

[illegible]

1:15



Created cadd file


SYMBOL	ROT	X	Y	WID	HT
ARUP	0	4.6	8.1	6.8	19.1
ARUP	0	18.6	8.1	6.8	19.1

LENGTH

SERIES/SIZE

[illegible]

1:15



REV'D /

SYMBOL	ROT	X	Y	WID	HT
ARPCL1	0	3.8	9.5	8.4	11.5
ARPCL1	0	17.8	9.5	8.4	11.5

LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]


[illegible]

SIGN DETAIL

SIGN NUMBER	31-0255
SIGN PANEL	3'-6" x 2'-6"
TOTAL (Sq.ft.)	8.75
MUTCD	R3-8
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D /

PLOTTED :11/20/2018



ARROWHEAD D-6 DETAIL
N.T.S.


P	Q	R	S	T
2.5	2.875	5.0625	.375	30



A	B	C	D	E	F	G	H	J	K	L	M	N
30	42	.75	.5	1.875	5.964	4.392	14.532	18.324	5.004	16.5	.75	16.008

Dimensions are in inches.
Material : .100 Thk. Sheet Aluminum
Side Mounted
Engineer : S. Bruno / Designed By : J. Fascione / Checked By : B. Schilling

1:10



LNC

SIGN NUMBER	31-0256
SIGN PANEL	8.75
EXIT CROWN	--
TOTAL (Sq.ft.)	8.75
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

REV'D 10/10
REVISED SHEETING TYPE.

[illegible]

1:10



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : LNC DESIGNED BY : GMF CH

SYMBOL	ROT	X	Y	WID	HT

REV'D 11/10

REVISED SHEETING TYPE.

[illegible]

1:10



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CH


SYMBOL	ROT	X	Y	WID	HT

REV'D 11/10

REVISED SHEETING TYPE.

[illegible]

1:10



SYMBOL	ROT	X	Y	WID	HT


REV'D 11/10

REVISED SHEETING TYPE.

11/10

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 11/10
REVISED SHEETING TYPE.

[illegible]

SIGN DETAIL



SIGN NUMBER	31-0270
SIGN PANEL	3'-0" x 2'-6"
TOTAL (Sq.ft.)	7.5
MUTCD	
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 1/7/2019

Arrowhead DOT D-6

Symbols and Bars are solid.

Dimensions are in inches.


Material : .080 Thk. Sheet Aluminum

Side Mounted

Location : N/A

Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 11/10

REVISED SHEETING TYPE.

SIGN DETAIL




A	B	C	D	E	F	G	H
30	36	.75	.5	1.875	5.36	5	5.25

J	K	L	M	N	P	Q
16	.75	9.24	5.8392	3.5064	1.25	6.63

SIGN NUMBER	31-0272
SIGN PANEL	3'-0" x 2'-6"
TOTAL (Sq.ft.)	7.5
MUTCD	R3-8
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 11/20/2018



R	S	T	U	V
2.5	2.875	5.0625	.375	30


Dimensions are in inches.

Material : .100 Thk. Sheet Aluminum

Side Mounted

Engineer : S. Bruno / Designed By : J. Fascione / Checked By : B. Schilling


SIGN DETAIL



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : NCM DESIGNED BY : GMF C

SIGN NUMBER	31-0273
SIGN PANEL	10.5
EXIT CROWN	--
TOTAL (Sq.ft.)	10.5
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /




ARROWHEAD DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

[illegible]


SIGN DETAIL



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : NCM DESIGNED BY : GMF C

SIGN NUMBER	31-0274
SIGN PANEL	10.5
EXIT CROWN	--
TOTAL (Sq.ft.)	10.5
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /




ARROWHEAD DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 11/10

REVISED SHEETING TYPE.

1:10



SYMBOL	ROT	X	Y	WID	HT


REV'D 11/10

REVISÉ SHEETING TYPE.

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : LNC DESIGNED BY : GMF CH

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 11/10

REVISED SHEETING TYPE.

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : LNC DESIGNED BY : GMF CH

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 11/10

REVISED SHEETING TYPE.

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CH

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 9/10

REVISED SHEETING TYPE.

[illegible]

SIGN DETAIL
1:10



SIGN NUMBER	31-0280
SIGN PANEL	9.0
EXIT CROWN	--
TOTAL (Sq.ft.)	9.0
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT


REV'D 7/20

Removed the word "ONLY".

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : B. SCHILLING DESIGNED BY : J. FASCIONE CHECKED BY : BAS

7/30/2020

1:10



SIGN NUMBER	31-0281
SIGN PANEL	8.75
EXIT CROWN	--
TOTAL (Sq.ft.)	8.75
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black

* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".


SYMBOL	ROT	X	Y	WID	HT

REV'D 9/10
REVISED SHEETING TYPE.

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : LNC DESIGNED BY : GMF CH

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 9/10

REVISED SHEETING TYPE.

[illegible]


1:10



REV'D 9/10
REVISED SHEETING TYPE.

[illegible]


1:10



REV'D 10/10
REVISED SHEETING TYPE.

[illegible]

1:10



SIGN NUMBER	31-0285
SIGN PANEL	9.0
EXIT CROWN	--
TOTAL (Sq.ft.)	9.0
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT


REV'D 7/20

Removed the word "ONLY".

7/30/2020

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : B. SCHILLING DESIGNED BY

1:10



ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : LNC


SYMBOL	ROT	X	Y	WID	HT

REV'D 10/10

REVISED SHEETING TYPE.

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 10/10

REVISED SHEETING TYPE.

[illegible]

1:17



Revised sign size from 30" x 24" to 36" x 30"
--


SYMBOL	ROT	X	Y	WID	HT
ARPCR1	180	3.6	11	12	15
ARPCR1	0	20.7	11	12	15

Dec 07, 2017

[illegible]

SIGN DETAIL

1:10



SIGN NUMBER	31-0292
SIGN PANEL	7.5
EXIT CROWN	--
TOTAL (Sq.ft.)	7.5
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT

REV'D 10/10

REVISED SHEETING TYPE.

ARROWHEAD DOT D-6
 SYMBOLS AND BARS ARE SOLID
 DIMENSIONS ARE IN INCHES
 MATERIAL : .080 THK.SHEET ALUMINUM
 SIDE MOUNTED
 SIGN SUPPORT NO. N/A
 LOCATION :N/A
 ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : LNC


1:10



REV'D 10/10
REVISED SHEETING TYPE.

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 10/10

REVISED SHEETING TYPE.

[illegible]


1:10



REV'D 05/14

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 10/10
REVISED SHEETING TYPE.
CONVERTED TO ENGLISH UNITS.

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 10/10

REVISED SHEETING TYPE.

[illegible]

1:10



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : LNC DESIGNED BY : GMF CH

SIGN NUMBER	31-0307
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75"/1.25"
CORNER RADIUS	3.0"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


[illegible]

REV'D 10/10

REVISÉ SHEETING TYPE.

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT

REV'D 10/10

REVISED SHEETING TYPE.

[illegible]

1:10



ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : LNC


SIGN NUMBER	31-0309
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75"/1.25"
CORNER RADIUS	3.0"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

REV'D 10/10
REVISED SHEETING TYPE.

[illegible]

1:10



ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : LNC


SIGN NUMBER	31-0311
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75"/1.25"
CORNER RADIUS	3.0"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]


REV'D 10/10
REVISED SHEETING TYPE.

[illegible]

SIGN DETAIL




SIGN NUMBER	31-0312
SIGN PANEL	10.0
EXIT CROWN	N/A
TOTAL (Sq.Ft)	10.0
BORDER WIDTH	1/2" / 3/4"
CORNER RADIUS	3"
BACKGROUND	TYPE: III COLOR: White
LEGEND/BORDER	TYPE: Plain COLOR: Black



ARROW - DOT D-6
 DIMENSIONS IN INCHES
 MATERIAL-.100 THK.SHEET ALUM.
 SIDE MOUNTED.
 SIGN SUPPORT NO. N/A
 LOCATION : N/A
 ENGINEER D.K.S. DESIGNED BY : G.M.F. CHECKED BY _____

REV'D /0


1:10



REV'D 10/10
REVISED SHEETING TYPE.

[illegible]

SIGN DETAIL




ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : _____

LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				D 2000	
3.2	6.8	10.3	13.0				13.2	4

SIGN NUMBER	31-0317
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 5/13
REVISED SHEETING TYPE.


PLOTTED : 6/3/2013



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL



R3-8a

ADVANCE INTERSECTION LANE CONTROL


SIGN NUMBER	31-0331
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 6/13/2013

ARROWHEAD DOT D-6
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

A	B	C	D	E	F	G	H	I	J	K	L	M
48	30	.75	1.25	4D	3	12.125	1.188	.438	4	3.375	5.813	4.625
N	O	P	Q	R	S	T	U	V	W	X	Y	Z
6.625	2.5	1.688	11.063	6.813	1.688	11	7.5	9.75	14.641	6.45	12.313	3

1:20




SYMBOL	ROT	X	Y	WID	HT

REV'D /

FILE :31-0333.dgn

[illegible]

1:10



SIGN NUMBER	31-0334
SIGN PANEL	8.75
EXIT CROWN	--
TOTAL (Sq.ft.)	8.75
BDR INSET/WIDTH	0.625"/0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT

REV'D 11/10
REVISED SHEETING TYPE.

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CH

[illegible]

1:10

[illegible]


REV'D 11/10

REVISED SHEETING TYPE.

ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : LNC

[illegible]

SIGN DETAIL




SIGN NUMBER	31-0338
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 6/13
REVISED SHEETING TYPE, BORDER INSET, & BORDER THICKNESS.

PLOTTED : 6/4/2013

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)						LENGTH	SERIES/SIZE
O	N	L	Y				D 2000
31	34.8	38.5	41.3			13.7	4



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




SIGN NUMBER	31-0339
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 6/13
REVISED SHEETING TYPE, BORDER INSET,
& BORDER THICKNESS.

PLOTTED : 6/4/2013

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y					D 2000
31	34.8	38.5	41.3				13.7	4



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5


SIGN DETAIL



SIGN NUMBER	31-0343
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 6/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS & BORDER RADIUS.

PLOTTED : 8/6/2013




ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : _____

SIGN DETAIL




SIGN NUMBER	31-0344
SIGN PANEL	11.25
EXIT CROWN	--
TOTAL (Sq.ft.)	11.25
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 6/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS & BORDER RADIUS.

PLOTTED : 8/6/2013


ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : _____

LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				13.1	D 2000
2.5	6	9.5	12.2					4
O	N	L	Y				13.1	D 2000
32	35.6	39	41.7					4

SIGN NUMBER	31-0345
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 6/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS & BORDER RADIUS.


PLOTTED : 8/6/2013



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

SIGN NUMBER	31-0346
SIGN PANEL	11.25
EXIT CROWN	--
TOTAL (Sq.ft.)	11.25
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 6/13

REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS & BORDER RADIUS.



PLOTTED : 8/6/2013



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL



SIGN NUMBER	387-31-0347
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.Ft)	10.0
BORDER WIDTH	SEE SIGN
CORNER RADIUS	SEE SIGN
BACKGROUND	TYPE: III COLOR: WHITE
LEGEND/BORDER	TYPE: PLAIN COLOR: BLACK

SYMBOL	X	Y	WID	HT

PLOTTED 08/15/06
DIMENSIONS ARE IN INCHES
MATERIAL - .100 THK.SHEET ALUMINUM
SIDE MTD.
SIGN SUPPORT NO.N/A
LOCATION : N/A
ENGINEER Y.K.N. DESIGNED BY : G.M.F. CHECKED BY -----



REV'D	/ 0

SIGN DETAIL

SIGN NUMBER	31-0349
SIGN PANEL	11.25
EXIT CROWN	--
TOTAL (Sq.ft.)	11.25
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 6/13
REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS & BORDER RADIUS.

PLOTTED : 8/6/2013




ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


SIGN DETAIL



SIGN NUMBER	31-0353
SIGN PANEL	11.25
EXIT CROWN	--
TOTAL (Sq.ft.)	11.25
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 5/28

REVISED SHEETING TYPE, BORDER & RADIUS.




ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CH

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

[illegible]

SIGN DETAIL




LETTER POSITIONS (X)						LENGTH	SERIES/SIZE
O	N	L	Y				D 2000
32.1	35.6	39.2	41.8			13.2	4

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : _____

SIGN NUMBER	31-0356
SIGN PANEL	11.25
EXIT CROWN	--
TOTAL (Sq.ft.)	11.25
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 6/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS & BORDER RADIUS.


PLOTTED : 8/6/2013



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




SIGN NUMBER	31-0357
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 8/6/2013

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : JED DESIGNED BY : GMF CHECKED BY : JPO


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				D 2000	
31.9	35.5	39	41.7				13.2	4



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

1:12



ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

REV'D 8/10


REVISED SHEETING TYPE.

SIGN NUMBER	31-0367
SIGN PANEL	4.5
EXIT CROWN	--
TOTAL (Sq.ft.)	4.5
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

[illegible]

SIGN DETAIL




SIGN NUMBER	31-0368
SIGN PANEL	4'-0" x 2'-6"
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 12/17

Revised height from 24" to 30" per MUTCD.

PLOTTED : 12/19/17




ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY :_____


SIGN DETAIL



SIGN NUMBER	31-0369
SIGN PANEL	8.75
EXIT CROWN	--
TOTAL (Sq.ft.)	8.75
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS AND RADIUS.

PLOTTED : 3/11/2013




ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

SIGN DETAIL




ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

LETTER POSITIONS (X)																	LENGTH	SERIES/SIZE
O	N	L	Y															D 2000
2.9	6.5	10.2	12.9														13.4	4

SIGN NUMBER	31-0370
SIGN PANEL	8.75
EXIT CROWN	--
TOTAL (Sq.ft.)	8.75
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13
REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS.


PLOTTED : 3/11/2013



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

LETTER POSITIONS (X)																		LENGTH	SERIES/SIZE
O	N	L	Y																D 2000
25.7	29.4	33	35.7															13.4	4

SIGN NUMBER	31-0371
SIGN PANEL	8.75
EXIT CROWN	--
TOTAL (Sq.ft.)	8.75
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13
REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS.


PLOTTED : 3/11/2013



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

LETTER POSITIONS (X)																			LENGTH	SERIES/SIZE
O	N	L	Y																	D 2000
31.7	35.4	39	41.7																13.4	4

SIGN NUMBER	31-0372
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13
REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS.


PLOTTED : 3/11/2013



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




SIGN NUMBER	31-0381
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13

REVISED SHEETING TYPE, BORDER INSET AND BORDER THICKNESS.
--

PLOTTED : 3/11/2013




ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CH

[illegible]

SIGN DETAIL




SIGN NUMBER	31-0382
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13

REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS.
--

PLOTTED : 3/11/2013




ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

[illegible]

SIGN DETAIL




SIGN NUMBER	31-0383
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13

REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS AND RADIUS.

PLOTTED : 3/11/2013



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

ARROWHEAD DOT D-6

SYMBOLS AND BARS ARE SOLID

DIMENSIONS ARE IN INCHES

MATERIAL : .100 THK.SHEET ALUMINUM

SIDE MOUNTED


SIGN SUPPORT NO. N/A

LOCATION :N/A

ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

[illegible]


SIGN DETAIL



SIGN NUMBER	31-0384
SIGN PANEL	8.75
EXIT CROWN	--
TOTAL (Sq.ft.)	8.75
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS AND RADIUS.

PLOTTED : 3/12/2013




ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


SIGN DETAIL



SIGN NUMBER	31-0386
SIGN PANEL	8.75
EXIT CROWN	--
TOTAL (Sq.ft.)	8.75
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 11/27/2018




ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : MAC DESIGNED BY : GMF CHECKED BY :_____

SIGN DETAIL



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CH


LETTER POSITIONS (X)				LENGTH			SERIES/SIZE
O	N	L	Y				D 2000
9	12.5	15.9	18.6			13	4
O	N	L	Y				D 2000
43.6	47.1	50.5	53.2			13	4

SIGN NUMBER	31-0403
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13

REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS.
--


PLOTTED : 3/14/2013



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				13	D 2000
4	7.5	10.9	13.6					4
O	N	L	Y				13	D 2000
43.6	47.1	50.5	53.2					4

SIGN NUMBER	31-0404
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13


REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS AND RADIUS.

PLOTTED : 5/22/2013

ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




SIGN NUMBER	31-0405
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS AND RADIUS.

PLOTTED : 3/14/2013

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				D 2000	
8.5	13.9	19.1	23.2			19.8	6	



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




SIGN NUMBER	31-0406
SIGN PANEL	15.0
EXIT CROWN	--
TOTAL (Sq.ft.)	15.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 5/13
REVISED BORDER INSET, BORDER THICKNESS AND RADIUS.

PLOTTED : 5/22/2013

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .125 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : CRB DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				13.2	D 2000
2.9	6.5	10	12.7					4
O	N	L	Y				13.2	D 2000
49.8	53.4	56.9	59.6					4



ARROWHEAD DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : GRP DESIGNED BY : _____


LETTER POSITIONS (X)																	LENGTH	SERIES/SIZE
O	N	L	Y															D 2000
31.7	37	42.3	46.3														13.1	4

SIGN NUMBER	31-0407
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.5"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER /SYMBOL	TYPE: *
	COLOR: Black/Black/Black

* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".


REV'D /

PLOTTED : 11/15/2012



A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL



A


ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : _____

LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				13.2	D 2000
3.3	6.8	10.3	13					4
O	N	L	Y				13.2	D 2000
38.6	42.2	45.7	48.4					4

SIGN NUMBER	31-0410
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS AND RADIUS.


PLOTTED : 5/22/2013



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .125 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : _____


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				D 2000	
2.838	6.438	9.938	12.638				13.2	4
O	N	L	Y				D 2000	
35.83	39.33	42.83	45.53				13.2	4

SIGN NUMBER	31-0411
SIGN PANEL	5'-0" x 2'-6"
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black

* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D 12/17
Revised sign width from 66" to 60"


PLOTTED : 12/18/17



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




SIGN NUMBER	31-0412
SIGN PANEL	13.75
EXIT CROWN	--
TOTAL (Sq.ft.)	13.75
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS AND RADIUS.

PLOTTED : 5/22/2013


ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .125 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

LETTER POSITIONS (X)						LENGTH	SERIES/SIZE
O	N	L	Y				D 2000
11	14.5	18	20.7			13.2	4
O	N	L	Y				D 2000
44	47.5	51	53.7			13.2	4



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5




SIGN NUMBER	31-0417
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: IX
	COLOR: White
LEGEND/BORDER	TYPE: IX
	COLOR: Black/Black

REV'D /

PLOTTED : 8/14/2020

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				D 2000	
2.3	6.2	10.1	13				13.2	4
O	N	L	Y				D 2000	
38.9	42.8	46.7	49.6				14.5	4



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




SIGN NUMBER	31-0418
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 03/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS AND RADIUS.

PLOTTED : 5/23/2013


ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : _____



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




SIGN NUMBER	31-0419
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 04/13
REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS.

PLOTTED : 4/10/2013

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : _____


LETTER POSITIONS (X)						LENGTH	SERIES/SIZE
O	N	L	Y				D 2000
9	12.6	16.1	18.8			13.2	4
O	N	L	Y				D 2000
37.5	41.1	44.6	47.3			13.2	4



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL



SIGN NUMBER	31-0442
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D 04/13

REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS.
--

PLOTTED : 5/23/2013

LETTER POSITIONS (X)						LENGTH	SERIES/SIZE
O	N	L	Y				D 2000 4
4.5	8.1	11.6	14.3			13.2	
O	N	L	Y				D 2000 4
42.3	45.9	49.4	52.1			13.2	


ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL



SIGN NUMBER	31-0445
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D 04/13

REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS.
--

PLOTTED : 5/23/2013

LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				D 2000	
3.6	7.2	10.7	13.3			13.2	4	
O	N	L	Y				D 2000	
42.3	45.9	50.3	53			13.2	4	

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____



ARROWHEAD D-6 DETAIL
N.T.S.


A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL

SIGN NUMBER	31-0447
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D 04/13
REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS.

PLOTTED : 5/23/2013



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y					D 2000
3	6.6	10.1	12.8				13.2	4
O	N	L	Y					D 2000
43.8	47.4	50.9	53.6				13.2	4



ARROWHEAD D-6 DETAIL
N.T.S.


A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL

SIGN NUMBER	31-0450
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D 5/13
REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS.

PLOTTED : 5/31/2013



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y					D 2000
3.5	7	10.5	13.2				13.2	4
O	N	L	Y					D 2000
43.2	46.8	50.3	53				13.2	4



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




SIGN NUMBER	31-0451
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 5/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS AND RADIUS.

PLOTTED : 5/31/2013

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

LETTER POSITIONS (X)						LENGTH	SERIES/SIZE
O	N	L	Y				D 2000
3.5	7	10.5	13.2			13.2	4



ARROWHEAD D-6 DETAIL
N.T.S.


A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL

SIGN NUMBER	31-0452
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D 5/13
REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS.

PLOTTED : 5/31/2013



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)				LENGTH	SERIES/SIZE
O	N	L	Y		D 2000
43.3	46.9	50.4	53.1	13.2	4



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




SIGN NUMBER	31-0456
SIGN PANEL	15.0
EXIT CROWN	--
TOTAL (Sq.ft.)	15.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 5/13
REVISED SHEETING TYPE, SIGN THICKNESS
BDR. INSET, BDR. THICKNESS AND RADIUS.

PLOTTED : 5/31/2013

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .125 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				D 2000	
3	6.5	10	12.7				13.2	4



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




SIGN NUMBER	31-0458
SIGN PANEL	15.0
EXIT CROWN	--
TOTAL (Sq.ft.)	15.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 04/13
REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS.

PLOTTED : 5/31/2013

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .125 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : _____


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				13.2	D 2000
10	13.5	17	19.7					4
O	N	L	Y				13.2	D 2000
56.1	59.7	63.2	65.8					4



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .125 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : _____

LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y					D 2000
3	6.5	10	12.7				13.2	4

SIGN NUMBER	31-0459
SIGN PANEL	15.0
EXIT CROWN	--
TOTAL (Sq.ft.)	15.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 5/13
REVISED SHEETING TYPE, SIGN THICKNESS
BDR. INSET, BDR. THICKNESS AND RADIUS.

PLOTTED : 5/31/2013



ARROWHEAD D-6 DETAIL
N.T.S.


A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL

SIGN NUMBER	31-0467
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D 04/13
REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS & TEXT HEIGHT

PLOTTED : 8/6/2013



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				D 2000	
7.9	12.5	17.1	20.5				17.0	5



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




SIGN NUMBER	31-0470
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 5/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS AND RADIUS.

PLOTTED : 5/31/2013

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				D 2000	
43.8	47.4	50.9	53.6				13.2	4




ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




PLOTTED : 8/14/2012



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : ASM DESIGNED BY : GMF CHECKED BY : _____

[illegible]

SIGN DETAIL




SIGN NUMBER	31-0476
SIGN PANEL	15.0
EXIT CROWN	--
TOTAL (Sq.ft.)	15.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 5/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS AND RADIUS.

PLOTTED : 5/31/2013

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .125 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				D 2000	
4.5	8.1	11.6	14.3				13.2	4
O	N	L	Y				D 2000	
54.3	57.8	61.4	64				13.2	4



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL




ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .125 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				D 2000	
3.6	7.2	10.7	13.3			13.2	4	

SIGN NUMBER	31-0479
SIGN PANEL	15.0
EXIT CROWN	--
TOTAL (Sq.ft.)	15.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 5/13
REVISED SHEETING TYPE, BORDER INSET, BORDER THICKNESS AND RADIUS.

PLOTTED : 7/8/2013



ARROWHEAD D-6 DETAIL
N.T.S.


A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL

SIGN NUMBER	31-0480
SIGN PANEL	12.5
EXIT CROWN	--
TOTAL (Sq.ft.)	12.5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D 6/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS AND RADIUS.

PLOTTED : 6/17/2013



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				D 2000	
3.5	7.1	10.6	13.3				13.2	4



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5


SIGN DETAIL



SIGN NUMBER	31-0481
SIGN PANEL	11.25
EXIT CROWN	--
TOTAL (Sq.ft.)	11.25
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 8/23/2021




ARROWHEAD D-6 DETAIL
N.T.S.

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
POST MOUNTED


A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN DETAIL



ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .125 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : _____

LETTER POSITIONS (X)							LENGTH	SERIES/SIZE
O	N	L	Y				13.2	D 2000
10.5	14.1	17.6	20.3					4




A	B	C	D	E
2.5	2.875	5.0625	.375	.5

SIGN NUMBER	31-0487
SIGN PANEL	15.0
EXIT CROWN	--
TOTAL (Sq.ft.)	15.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 5/13
REVISED SHEETING TYPE, BORDER INSET,
BORDER THICKNESS AND RADIUS.

PLOTTED : 7/9/2013

SIGN DETAIL




SIGN NUMBER	31-0501
SIGN PANEL	15.0
EXIT CROWN	--
TOTAL (Sq.ft.)	15.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 5/14/2015

ARROWHEAD DOT D-6
SYMBOLS AND BARS ARE SOLID
DIMENSIONS ARE IN INCHES
MATERIAL : .125 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : JAM DESIGNED BY : GMF CHECKED BY : _____


LETTER POSITIONS (X)						LENGTH	SERIES/SIZE
O	N	L	Y				D 2000
4.5	8.1	11.6	14.3			13.2	4
O	N	L	Y				D 2000
54.3	57.8	61.4	64			13.2	4



ARROWHEAD D-6 DETAIL
N.T.S.

A	B	C	D	E
2.5	2.875	5.0625	.375	.5

1:20



Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
ARROW	130	13.6	8.2	8.1	10

LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:10



Ground Mounted

REV'D /

[illegible]


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

SIGN DETAIL



R6-3p
(formerly R1-4)
ALL WAY


A	B	C	D	E	F	G	H
18	6	.5	1.5	3C	1.5	7	1.5

SIGN NUMBER	31-0508
SIGN PANEL	0.75
EXIT CROWN	--
TOTAL (Sq.ft.)	0.75
BDR INSET/WIDTH	0" / 0.5"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Red
LEGEND/BORDER	TYPE: *
	COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D 8/12	
REVISED TO MATCH MUTCD.	

PLOTTED : 9/19/2012

DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : TLF DESIGNED BY : JMF CHECKED BY : _____

SIGN DETAIL



R1-4
ALL WAY

A	B	C	D	E	F	G	H
30	12	.75	3	6C	3	13.25	1.875


SIGN NUMBER	31-0509
SIGN PANEL	2.5
EXIT CROWN	--
TOTAL (Sq.ft.)	2.5
BDR INSET/WIDTH	0/.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: RED
LEGEND/BORDER	TYPE: *
	COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 2/27/2013

DIMENSIONS ARE IN INCHES
MATERIAL : 0.080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : EB DESIGNED BY : JMF CHECKED BY : _____

1:20




REV'D /

SYMBOL	ROT	X	Y	WID	HT
Pedestrain	0	11.5	2.2	4.1	7.8

Apr 20, 2018

[illegible]

SIGN DETAIL



YIELD HERE TO PEDESTRIANS

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S	T	U
18	.375	.625	2C	4.375	3	2.375	2C	5	7	1.625	5.364	1.240	1.220	6.605	1.220	7.805	6.605	1.5

DIMENSIONS ARE IN INCHES

MATERIAL : .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A


LOCATION :N/A

ENGINEER : BAS DESIGNED BY : JMF CHECKED BY : FLK

SIGN NUMBER	31-0511
SIGN PANEL	2.25
EXIT CROWN	--
TOTAL (Sq.ft.)	2.25
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
	TYPE: *
LEGEND/BORDER	COLOR: Black/Black
YIELD SYMBOL	COLOR: Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 9/22/2014

SIGN DETAIL



YIELD HERE TO PEDESTRIANS

SIGN NUMBER	31-0512
SIGN PANEL	9.0
EXIT CROWN	--
TOTAL (Sq.ft.)	9.0
BDR INSET/WIDTH	.625" / .875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
	TYPE: *
LEGEND/BORDER	COLOR: Black/Black
YIELD SYMBOL	COLOR: Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 2/3/2016

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S	T	U
36	..625	.875	3.25	14	10	4C	4.75	6	8.75	4C	10.728	13.21	2.48	15.61	2.44	2.44	13.21	2.25

DIMENSIONS ARE IN INCHES

MATERIAL : .080 THK.SHEET ALUMINUM


SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION :N/A

ENGINEER : LBP DESIGNED BY : JMF CHECKED BY : _____

SIGN DETAIL



R1-5R
YIELD HERE TO PEDESTRIANS

SIGN NUMBER	31-0513
SIGN PANEL	9.0
EXIT CROWN	--
TOTAL (Sq.ft.)	9.0
BDR INSET/WIDTH	.625" /.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
	TYPE: *
LEGEND/BORDER	COLOR: Black/Black
YIELD SYMBOL	COLOR: Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 2/3/2016

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S	T	U
36	.625	.875	4C	8.75	6	4.75	4C	10	14	3.25	10.728	2.48	2.44	13.21	2.44	15.61	13.21	2.25

DIMENSIONS ARE IN INCHES

MATERIAL : .080 THK.SHEET ALUMINUM


SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION :N/A

ENGINEER : LBP DESIGNED BY : JMF CHECKED BY : _____

SIGN DETAIL



A	B	C	D	E	F	G	H	J
18	.375	2	1	1.5C	2.375	2.188	.625	1.5

DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : C. M.eronnis DESIGNED BY : J. FascioneF CHECKED BY : _____


SIGN NUMBER	31_0520
SIGN PANEL	.942
EXIT CROWN	--
TOTAL (Sq.ft.)	.942
BDR INSET/WIDTH	See Chart
CORNER RADIUS	See Chart
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

REV'D /

8/2/2016

SIGN DETAIL




A	B	C	D	E	F	G	H	J
48	1	6	2.75	4C	6.25	5.875	2	3

DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : SPC DESIGNED BY : GMF CHECKED BY : _____

SIGN NUMBER	31_0522
SIGN PANEL	6.77
EXIT CROWN	--
TOTAL (Sq.ft.)	6.77
BDR INSET/WIDTH	See Chart
CORNER RADIUS	See Chart
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
REV'D /					

1:15




Ground Mounted

SYMBOL	ROT	X	Y	WID	HT

A	B	C	D	E	F	G	H	J
36	.75	5	2	3C	4.688	4.375	1.25	2

[illegible]

SIGN DETAIL



SIGN NUMBER	31-0528
SIGN PANEL	10.83
EXIT CROWN	--
TOTAL (Sq.ft.)	10.83
BDR INSET/WIDTH	0" / 1.5"
CORNER RADIUS	4"
BACKGROUND	TYPE: *
	COLOR: Red
LEGEND/BORDER	TYPE: *
	COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D 8/12
REVISED TO MATCH MUTCD.

PLOTTED : 8/28/2012

A	B	C	D	E	F	G	H	J
60	1.5	8	3.5	5C	7.875	7.25	2.5	4

DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : TLF DESIGNED BY : JMF CHECKED BY : _____

SIGN DETAIL
1:10



A	B	C	D	E	F
18	.375	6	6C	3	7.75


SIGN NUMBER	31-0532
PANEL SIZE	1'-6" x 1'-6"
SIGN AREA	1.85 Sq.Ft.
MUTCD	R1-1
BDR INSET/WIDTH	0" / .375"
CORNER RADIUS	0"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

FILE : 310532 Sep 22, 2017

Dimensions are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

1:20



Ground Mounted

REV'D /


SIGN NUMBER	31-0552
PANEL SIZE	2'-6" x 2'-6"
TOTAL (Sq.ft.)	5.17 Sq.Ft.
DATE	Jun 24, 2017
BDR INSET/WIDTH	0" / .75"
CORNER RADIUS	0"
BACKGROUND	TYPE: *
	COLOR: Red
LEGEND/BORDER	TYPE: *
	COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_31_0552.dgn

[illegible]

1:20




ENGINEER : SPC DESIGNED BY : GMF CHECKED BY : _____

REV'D /

SIGN NUMBER	31_0553
SIGN PANEL	7.98
EXIT CROWN	--
TOTAL (Sq.ft.)	7.98
BDR INSET/WIDTH	0" / .875"
CORNER RADIUS	0"
BACKGROUND	TYPE: *
	COLOR: Red
LEGEND/BORDER	TYPE: *
	COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:20



Ground Mounted

REV'D /

SIGN NUMBER	31-0557
PANEL SIZE	4'-0" x 4'-0"
TOTAL (Sq.ft.)	13.24
DATE	Jun 24, 2017
BDR INSET/WIDTH	0" / 1"
CORNER RADIUS	0"
BACKGROUND	TYPE: *
	COLOR: Red
LEGEND/BORDER	TYPE: *
	COLOR : White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_31_0557.dgn

[illegible]

SIGN DETAIL




SIGN NUMBER	31-0564
SIGN PANEL	2'-6" x 2'-0"
TOTAL (Sq.ft.)	5.0
MUTCD	R3-17
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: * COLOR: Black/White
LEGEND/BORDER /BIKE	TYPE: * COLOR: Black/Black/Wht.
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 7/31/2018

Dimensions are in inches.
Material : .080 Thk. Sheet Aluminum
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

1:10



Ground Mounted

REV'D /


SIGN NUMBER	310582
PANEL SIZE	2'-0" x 1'-6"
TOTAL (Sq.ft.)	3.0 Sq.Ft.
DATE	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :\$FILES\$

[illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	310597
PANEL SIZE	2'-0" x 1'-6"
TOTAL (Sq.ft.)	3.0 Sq.Ft.
DATE	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :\$FILES\$

[illegible]

SIGN DETAIL



R7-201
TOW AWAY ZONE

SIGN NUMBER	31-0602
SIGN PANEL	0.5
EXIT CROWN	--
TOTAL (Sq.ft.)	0.5
BDR INSET/WIDTH	0.375" / 0.375"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Red
LEGEND/BORDER	TYPE: *
	COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 8/12
REVISED TO MATCH MUTCD.

PLOTTED : 8/28/2012

DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : TLF DESIGNED BY : JMF CHECKED BY : _____

31-0602

1:10



V) VARIABLE ARROW, LT, RT OR DOUBLE

Ground Mounted


REV'D /

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.3	1.5	2	7.8

FILE :TR_MSH_SIN_31_0603.dgn

[illegible]

1:10



(E) EQUAL SPACING

(V) VARIABLE ARROW, LT, RT OR DOUBLE

Dimension are in Inches

Material : .080 Thk. Sheet Aluminum

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted

REV'D /


SIGN NUMBER	31-0604
PANEL SIZE	1'-0" x 2'-0"
TOTAL (Sq.ft.)	2.0 Sq.Ft.
DATE	Jun 24, 2017
BDR INSET/WIDTH	0" / 0.5"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8

FILE :TR_MSH_SIN_31_0604.dgn

[illegible]

1:5




SIGN NUMBER	31-0605
PANEL SIZE	1'-0" x 0'-6"
TOTAL (Sq.ft.)	0.5 Sq.Ft.
DATE	Jun 26, 2017
BDR INSET/WIDTH	0" / 0.38"
CORNER RADIUS	1"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_31_0605.dgn

[illegible]

1:7



Ground Mounted

REV'D /


SIGN NUMBER	31-0606
PANEL SIZE	1'-0" x 1'-0"
TOTAL (Sq.ft.)	1.0 Sq.Ft.
DATE	Jun 26, 2017
BDR INSET/WIDTH	0" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_31_0606.dgn

[illegible]

1:10



☐ E Equal Spacing

☐ V Variable Arrow left, right or double

Ground Mounted

REV'D 1/18

Revised sign layout.


SIGN NUMBER	310607
PANEL SIZE	1'-0" x 1'-6"
SIGN AREA	1.5 Sq.Ft.
MUTCD	R7-6
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/White/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.2	1.4	2	7.8

Jan 08, 2018

[illegible]

1:10




REV'D /

[illegible]

FILE :TR_MSH_SIN_31_0609.dgn

[illegible]

1:10




Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8

[illegible]

1:10



REV'D /

[illegible]


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:10



Ⓔ Equal Spacing

Ⓥ Variable Arrow left, right or double

Dimension are in Inches

Material : .080 Thick Sheet Aluminum

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted

REV'D /


SIGN NUMBER	31-0612
PANEL SIZE	1'-0" x 1'-6"
TOTAL (Sq.ft.)	1.5 Sq.Ft.
DATE	Jun 30, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White/Red
LEGEND/BORDER	TYPE: *
	COLOR: Red/White/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8
	0	0	0	2	2

FILE :\$FILES\$

[illegible]

1:10




Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.3	1.7	2	7.8

[illegible]

1:10




Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8

[illegible]

1:5



Ground Mounted

REV'D /

[illegible]

LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:5




V Variable Legend

Ground Mounted

REV'D /

[illegible][illegible]

1:5



Ground Mounted

REV'D /

SIGN NUMBER	31-0618
PANEL SIZE	1'-0" x 0'-9"
TOTAL (Sq.ft.)	0.8 Sq.Ft.
DATE	Jul 01, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_31_0618.dgn

[illegible]

1:15



Ground Mounted

REV'D 1/18

Revised size to 24" x 30".

SIGN NUMBER	310619
PANEL SIZE	2'-0" x 2'-6"
SIGN AREA	5.0 Sq.Ft.
MUTCD	R8-1
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jan 08, 2018

[illegible]

1:8



Ⓥ Variable Legend, Arrow left, right or double

Ground Mounted

REV'D /

SIGN NUMBER	31-0620
PANEL SIZE	1'-0" x 1'-6"
TOTAL (Sq.ft.)	1.5 Sq.Ft.
DATE	Jul 01, 2017
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8

FILE :TR_MSH_SIN_31_0620.dgn

[illegible]

1:10



Ⓔ Equal Spacing

(V) Variable Legend, Arrow left, right or double

Dimension are in Inches

Material : .080 Thick Sheet Aluminum

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted

REV'D /


SIGN NUMBER	31-0621
PANEL SIZE	1'-0" x 1'-9"
TOTAL (Sq.ft.)	1.8 Sq.Ft.
DATE	Jul 01, 2017
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8

FILE :TR_MSH_SIN_31_0621.dgn

[illegible]

1:10




Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8

[illegible]

1:10



Ⓥ Variable Arrow left, right, or double

Ground Mounted

REV'D /


SIGN NUMBER	31-0623
PANEL SIZE	1'-0" x 1'-6"
TOTAL (Sq.ft.)	1.5 Sq.Ft.
DATE	Jul 01, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.2	1.9	2	7.8

FILE :TR_MSH_SIN_31_0623.dgn

[illegible]

1:10



Ground Mounted

REV'D /

SIGN NUMBER	31-0622
PANEL SIZE	1'-0" x 1'-6"
TOTAL (Sq.ft.)	1.5 Sq.Ft.
DATE	Jul 01, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/White/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8

FILE :\$FILES\$

[illegible]

1:10



(E) Equal Spacing
(V) Variable Legend, Arrow left, right or double

Ground Mounted

REV'D /

SIGN NUMBER	31-0625
PANEL SIZE	1'-0" x 1'-6"
TOTAL (Sq.ft.)	1.5 Sq.Ft.
DATE	Jul 01, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.6	2	7.8

FILE :TR_MSH_SIN_31_0625.dgn

[illegible]

1:10




Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2	1.5	2	7.8

LETTER POSITIONS (X)

[illegible]

1:10



Ground Mounted

REV'D /

SIGN NUMBER	31-0627
PANEL SIZE	1'-0" x 2'-0"
TOTAL (Sq.ft.)	2.0 Sq.Ft.
DATE	Jul 03, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2	0,9	2	7.8

FILE :TR_MSH_SIN_31_0627.dgn

[illegible]

1:10



Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

REV'D /


SIGN NUMBER	31-0630
PANEL SIZE	1'-0" x 1'-6"
TOTAL (Sq.ft.)	1.5 Sq.Ft.
DATE	Jul 03, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2	1.5	2	7.8

FILE :\$FILES\$

[illegible]

1:10



Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

REV'D /

SIGN NUMBER	31-0631
PANEL SIZE	1'-0" x 1'-6"
TOTAL (Sq.ft.)	1.5 Sq.Ft.
DATE	Jul 06, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Green/Green
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
	0	1	4.8	1.6	1.6
	0	9.5	5.1	1.6	1.6
AR_Type D	90	2.1	3.5	2	7.8

FILE :\$FILES\$

[illegible]

1:10




Ground Mounted

SYMBOL	ROT	X	Y	WID	HT
	0	0	0	17.4	10.6
	0	1.1	3.2	2	2
	0	8.9	3.2	2	2
AR_Type D	90	2.2	1.5	2	7.8
	0	12.3	1.5	2	2

FILE :\$FILES\$

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT
	0	0	0	17.4	10.6
	0	0.6	2.5	2	2
	0	9.6	2.7	2	2
AR_Type D	90	2.2	1.5	2	7.8
	0	12.2	1.6	2	2

LENGTH	SERIES/SIZE
--------	-------------

[illegible]

1:10




Ground Mounted



SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.2	1.5	2	7.8

[illegible]

SIGN DETAIL



- (E) Equal Spacing
- (V) Variable Min's, Arrow left, right or double

Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

1 2 3 4					
	1				C 2000
1.7	0.8	9.5		0.8	4
	2				C 2000
1	2.2	8.8		2.2	4
	3				C 2000
1	2.2	8.8		2.2	4
	4				C 2000
1	2.5	8.5		2.5	4


REV'D /

SIGN NUMBER	31-0635
PANEL SIZE	1'-0" x 1'-9"
TOTAL (Sq.ft.)	1.8 Sq.Ft.
DATE	Jul 05, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: White/Grn/Grn
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.3	1.5	2	7.8
FILE : \$FILES\$					

LETTER POSITIONS (X)																		LENGTH	SERIES/SIZE
	1																		D 2000
1	0.5	10.5																0.5	2
	H	R																	C 2000
5.9	1.4	1.1	1.1															2.6	2
	/																		B 2000
1	2.2	8.8																2.2	2.2
	2																		D 2000
2.3	1.4	8.4																1.4	2
	P	A	R	K	I	N	G												B 2000
4.2	0.9	1.2	1	1	0.5	1.1	0.9	1.2										6.6	2
	P	A	R	A	L	L	E	L											C 2000
1.2	1.2	1.4	1.2	1.4	1.2	1.2	1.2	1	0.9									9.9	2
	O	:	O	O		A	M												B 2000
2.9	1	0.4	1.1	0.9	0.7	1.2	1	2.7										6.4	2
	T	O		O	:	O	O		P	M									B 2000
1.6	0.9	0.9	0.7	1.1	0.5	1.1	0.9	0.7	1.1	1	1.4							9	2

1:10



Ground Mounted

REV'D /


SIGN NUMBER	31-0636
PANEL SIZE	1'-0" x 1'-6"
TOTAL (Sq.ft.)	1.5 Sq.Ft.
DATE	Jul 05, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Green/Green
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	3.5	2	7.8

FILE :\$FILES\$

[illegible]

1:10




SYMBOL	ROT	X	Y	WID	HT
	0	0	0	17.4	10.6
	0	0.6	2.5	2	2
	0	9.6	2.7	2	2
AR_Type D	90	2.2	1.5	2	7.8
	0	12.2	1.6	2	2

Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

[illegible]

SIGN DETAIL



- (E) Equal Spacing
- (V) Variable Min's, Arrow left, right or double

Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

V					
1 2 3 4					
	1				C 2000
1.7	0.8	9.5		0.8	4
	2				C 2000
1	2.2	8.8		2.2	4
	3				C 2000
1	2.2	8.8		2.2	4
	4				C 2000
1	2.5	8.5		2.5	4


REV'D /

SIGN NUMBER	31-0635
PANEL SIZE	1'-0" x 1'-9"
TOTAL (Sq.ft.)	1.8 Sq.ft.
DATE	Jul 05, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: White/Grn/Grn
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.3	1.5	2	7.8
FILE :\$FILES\$					

LETTER POSITIONS (X)																		LENGTH	SERIES/SIZE
	1																		D 2000
1	0.5	10.5																0.5	2
	H	R																	C 2000
5.9	1.4	1.1	1.1															2.6	2
	/																		B 2000
1	2.2	8.8																2.2	2.2
	2																		D 2000
2.3	1.4	8.4																1.4	2
	P	A	R	K	I	N	G												B 2000
4.2	0.9	1.2	1	1	0.5	1.1	0.9	1.2										6.6	2
	D	I	A	G	O	N	A	L											C 2000
1.2	1.4	0.5	1.4	1.3	0.9	1.3	1.5	1	1									9.8	2
	O	:	O	O		A	M												B 2000
2.9	1	0.4	1.1	0.9	0.7	1.2	1	2.7										6.4	2
	T	O		O	:	O	O		P	M									B 2000
1.6	0.9	0.9	0.7	1.1	0.5	1.1	0.9	0.7	1.1	1	1.4							9	2

1:10





SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8

Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

[illegible]

SIGN DETAIL
1:12




SIGN NUMBER	31-0641
PANEL SIZE	1'-0" x 2'-0"
TOTAL (Sq.ft.)	2.0 Sq.Ft.
DATE	Jul 06, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: White/Grn/Grn
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8

FILE :\$FILES\$

(E) Equal Spacing
(V) Variable Min's, Arrow left, right or double
Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted




REV'D /

LETTER POSITIONS (X)																		LENGTH	SERIES/SIZE
	M	I	N																C 2000
6.1	1.6	0.5	1.1	2.6														3.3	2
	4	5																	B 2000
0.8	1.6	1.3	8.4															2.9	3
	P	A	R	K	I	N	G												B 2000
4.4	0.9	1.2	1	1	0.5	1.1	0.9	0.9										6.6	2
	O	:	O	O		A	M												B 2000
2.5	1.2	0.6	1.2	0.9	0.7	1.4	1	2.5										7	2
	T	O		O	:	O	O		A	M									B 2000
1.4	0.9	0.9	0.8	1	0.5	1.1	0.9	0.8	1.2	1	1.4							9.1	2
	O	:	O	O		P	M												B 2000
2.6	1.2	0.6	1.2	0.9	0.8	1.1	1	2.6										6.8	2
	T	O		O	:	O	O		P	M									B 2000
1.4	0.9	0.9	0.7	1.1	0.5	1.2	0.9	0.7	1.1	1	1.4							9.1	2

1:10

Ⓥ Variable Min(s), Arrow left, right or double



Ground Mounted



	1	0				C 2000
4.5	1.2	1.8	4.5		3	3
	2	0				C 2000
4.1	2.2	1.8	4		4	3
	9	0				C 2000
4	2.2	1.8	4		4	3

REV'D /


SIGN NUMBER	31-0642
PANEL SIZE	1'-0" x 1'-6"
TOTAL (Sq.ft.)	1.5 Sq.Ft.
DATE	Jul 06, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Green/Green
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8

FILE :\$FILES\$

[illegible]

1:10



Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted


SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8

LETTER POSITIONS (X)

[illegible]

SIGN DETAIL

1:15



(E) Equal Spacing
(V) Variable Hour(s), Arrow left, right or double
Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

1 2 3 4					
	1				C 2000
1.7	0.8	9.5		0.8	4
	2				C 2000
1	2.2	8.8		2.2	4
	3				C 2000
1	2.2	8.8		2.2	4
	4				C 2000
1	2.5	8.5		2.5	4

FILE : TR_MSH_SIN_31_0644


REV'D /	

SIGN NUMBER	31-0644
PANEL SIZE	1'-0" x 2'-0"
TOTAL (Sq.ft.)	2.0 Sq.Ft.
DATE	Jul 11, 2017
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Grn/White/Grn
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8

LETTER POSITIONS (X)															LENGTH	SERIES/SIZE
	1															D 2000
1	0.5	10.5													0.5	2
	H	R														C 2000
5.8	1.4	1.1	3.6												2.6	2
	/															B 2000
1	2.2	8.8													2.2	2.2
	2															D 2000
2.3	1.4	8.4													1.4	2
	P	A	R	K	I	N	G									B 2000
4.2	0.9	1.2	1	1	0.5	1.1	0.9	1.2							6.6	2
	0	:	0	0		A	M									B 2000
2.5	1.2	0.6	1.2	0.9	0.7	1.4	1	2.5							7	2
	T	O		0	:	0	0		A	M						B 2000
1.5	0.9	0.9	0.8	1	0.4	1.1	0.9	0.8	1.2	1	1.5				9	2
	0	:	0	0		P	M									B 2000
2.6	1.2	0.6	1.2	0.9	0.7	1.1	1	2.6							6.8	2
	T	O		0	:	0	0		P	M						B 2000
1.5	0.9	0.9	0.8	1.1	0.5	1.1	0.9	0.8	1	1	1.5				9	2

1:15




SIGN NUMBER	31-0645
PANEL SIZE	1'-0" x 1'-6"
TOTAL (Sq.ft.)	1.5 Sq.Ft.
DATE	Jul 10, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Green/Green
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

FILE :\$FILES\$

REV'D /

[illegible]


1:5



SIGN NUMBER	31-0646
PANEL SIZE	1'-0" x 0'-6"
TOTAL (Sq.ft.)	0.5 Sq.Ft.
DATE	Jul 10, 2017
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Green/Green
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:4




REV'D /

[illegible]

Mar 23, 2018

[illegible]

1:5




Revised size to 18" x 9".

[illegible]

Jan 08, 2018

[illegible]


1:5

[illegible]

FILE :\$FILES\$

[illegible]

1:10




Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.5	2	7.8

3

1:5




Ground Mounted

[illegible]

1.5

[illegible]

1:5



REV'D /

SYMBOL	ROT	X	Y	WID	HT
31_0652	90	2.1	1.6	1.9	7.8

FILE :TR_MSH_SIN_31_0654

[illegible]

1:8



Ground Mounted


REV'D /

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.1	2	7.8

FILE :TR_MSH_SIN_31_0653

[illegible]

1:5



Ground Mounted


REV'D /

[illegible]

FILE :TR_MSH_SIN_31_0654

[illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	31-0655
PANEL SIZE	1'-0" x 1'-6"
SIGN AREA	1.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Green
LEGEND/BORDER	TYPE: *
	COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type A	270	3.7	1.9	2	4.6

FILE :TR_MSH_SIN_31_0655 Aug 22, 2017

[illegible]

1:10



Ground Mounted

REV'D /

SIGN NUMBER	31-0656
PANEL SIZE	1'-0" x 1'-6"
TOTAL (Sq.ft.)	1.5 Sq.Ft.
DATE	Jul 12, 2017
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Green/Green
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type A	90	3.7	1.8	2	4.6

FILE :TR_MSH_SIN_31_0656

[illegible]

1:12



Ground Mounted

[illegible]

LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:10



Variable Spacing

Ground Mounted


REV'D /

SYMBOL	ROT	X	Y	WID	HT
	0	1.3	4.6	2	2
	0	8.6	4.6	2	2

FILE :TR_MSH_SIN_31_0656

[illegible]

1:12




SYMBOL	ROT	X	Y	WID	HT
Handicapped	0	4	12.5	10	10

PLOTTED : 9/24/2013

[illegible]

1:10

SEE SHEET 2 OF 2 FOR DETAIL



Ⓥ Variable arrow (DOT D-1) double, left, right
or no arrow

Dimension are in Inches

Material : .080 Thick Sheet Aluminum

Sign Support No. N/A

Location : N/A

Engineer : A. Mermelstein, Designed By: J. Fascione, Checked By:

Ground Mounted


SHEET 1 of 2

SIGN NUMBER	31-0662
PANEL SIZE	1'-0" x 2'-0"
TOTAL (Sq.ft.)	2.0 Sq.Ft.
DATE	Dec 09, 2016
BDR INSET/WIDTH	0.375" / 0.375"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Green/Green
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
HANDICAP	0	3	16.5	6	6
ARUP	90	2.8	4.7	1.8	6.5

FILE :TR_MSH_SIN_31_0662.dgn

[illegible]



SIGN NUMBER	31-0662
PANEL SIZE	6" x 6"
TOTAL (Sq.ft.)	.25 Sq.Ft.
DATE	Dec 09, 2016
BDR INSET/WIDTH	N/A
CORNER RADIUS	N/A
BACKGROUND	TYPE: *
	COLOR: Blue
SYMBOL	TYPE: *
	COLOR: White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

FILE :TR_MSH_SIN_31_0662.dgn
MODELNAME : Handicap symbol detail

1:12



Ground Mounted

REV'D /


SIGN NUMBER	310663
PANEL SIZE	2'-6" x 2'-0"
SIGN AREA	5.0 Sq.Ft.
MUTCD	R8-4
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jan 08, 2018

[illegible]

1:25



SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	14.6	4.4	6.1	22.4

Apr 30, 2018

REV'D /

SERIES/SIZE

[illegible]

1:7



FILE :TR_MSH_SIN_31_0665

[illegible]

1:20



Ground Mounted

REV'D 1/18

Revised sign size to 48" x 36"

SIGN NUMBER	310666
PANEL SIZE	4'-0" x 3'-0"
SIGN AREA	12.0 Sq.Ft.
MUTCD	R8-4
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jan 08, 2018

[illegible]

1:20



Side Mounted

R8-7

REV'D /


SIGN NUMBER	31-0670
PANEL SIZE	4'-0" x 3'-0"
TOTAL (Sq.ft.)	12.0 Sq.Ft.
DATE	Apr 29, 2015
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_31_0670.dgn

[illegible]

1:7



Ground Mounted

REV'D 10/11

Replaces sign #51-0644.


SIGN NUMBER	31-0671
PANEL SIZE	1'-6" x 1'-0"
SIGN AREA	1.5 Sq.Ft.
MUTCD	R8-3 (CT)
BDR INSET/WIDTH	0.38" / 0.44"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	6	1.6	1.5	6

Oct 11, 2018

[illegible]

1:15



Ground Mounted


REV'D /

[illegible]

Oct 11, 2018

[illegible]

1:10



Ground Mounted

REV'D /

[illegible]

FILE :TR_MSH_SIN_31_0673

[illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	31-0674
PANEL SIZE	1'-6" x 1'-6"
SIGN AREA	2.3 Sq.Ft.
DATE	Jul 15, 2017
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Green/Green
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_31_0673

[illegible]

1:7



Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.3	4	2	7.5

LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:25



Ground Mounted

REV'D /


SIGN NUMBER	31-0676
PANEL SIZE	8'-0" x 4'-0"
SIGN AREA	32.0 Sq.Ft.
MUTCD	R11 (CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Oct 11, 2018

[illegible]

1:12



REV'D /

[illegible]

10/19/2018

SERIES/SIZE

[illegible]

1:10



Ground Mounted

REV'D /

SIGN NUMBER	31-0678
PANEL SIZE	2'-0" x 1'-6"
SIGN AREA	3.0 Sq.Ft.
MUTCD	R5-6 (CT)
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Oct 12, 2018

[illegible]


1:7

RT. ARW.

LT. ARW.

DBL. ARW.

7.75" typ.



A	B	C	D	E
1.75	.9375	1.5	.125	.125

REV'D /

SIGN NUMBER	31-0679
PANEL SIZE	1'-0" x 1'-6"
SIGN AREA	1.5 Sq.Ft.
MUTCD	R7-5 (CT)
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Green/Green
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT
AR_Type D	270	2.1	2	2	7.8

Ground Mounted

Oct 13, 2018

[illegible]

1:8




Dimensions are in Inches

Material : .080 Thick Sheet Aluminum

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted



REV'D /

SIGN NUMBER	31-0680
PANEL SIZE	1'-0" x 1'-6"
SIGN AREA	1.50 Sq.Ft.
MUTCD	R7-112 (CT)
BDR INSET/WIDTH	0.375" / 0.375"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: IX
	COLOR: White
LEGEND/BORDER	TYPE: IX
	COLOR: Green/Green


[illegible]

FILE : 31-0680

Nov 19, 2020

[illegible]

1:8



Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	270	2.1	1.5	2	7.8

Nov 19, 2020

[illegible]

1:5

[illegible]

1:8



Ground Mounted

Revised from 51-0614 to 31-0684.

SIGN NUMBER	31-0684
PANEL SIZE	1'-0" x 1'-6"
SIGN AREA	1.5 Sq.Ft.
MUTCD	R8-3P (CT)
BDR INSET/WIDTH	0" / 0.5"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Nov 13, 2018

[illegible]

SIGN DETAIL



R8-3a
NO PARKING (SYMBOL)


A	B	C	D	E	F	G	H	J
30	.5	.75	7.5	15EM	13.125	10.625	2.5	1.875

DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : SPC DESIGNED BY : GMF CHECKED BY : _____

SIGN NUMBER	31_0686
SIGN PANEL	6.25
EXIT CROWN	--
TOTAL (Sq.Ft.)	6.25
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: /Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
REV'D /					

1:20



Ground Mounted

REV'D /


SIGN NUMBER	31-0687
PANEL SIZE	4'-0" x 3'-0"
SIGN AREA	12.0 Sq.Ft.
DATE	Jul 15, 2017
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_31_0687

[illegible]

1:12




Ground Mounted

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.1	1.3	2	7.8

[illegible]

1:12

[illegible]


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:15




Revised sign size to 24" x 30"

[illegible]

Apr 30, 2018

[illegible]

1:8



REV'D /


SIGN NUMBER	31-0691
SIGN PANEL	1.5
EXIT CROWN	
TOTAL (Sq.ft.)	1.5
BDR INSET/WIDTH	0.375" / 0.375"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: White/Green
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

PLOTTED : \$DATE\$

[illegible]

1:8




REV'D /

[illegible]

LETTER POSITIONS (X)

[illegible]

SIGN DETAIL
1:100



SIGN NUMBER	31-0693
SIGN PANEL	1.5
MUTCD	R7-2a
TOTAL (Sq.ft.)	1.5
BDR INSET/WIDTH	0.375" / 0.375"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT

PLOTTED :08/22/17

REV'D /

(E) EQUAL SPACING
(V) VARAIBLE LEGEND OR VARIABLE ARROW DOUBLE, LEFT OR RIGHT
DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :
ENGINEER : ELB DESIGNED BY : JMF CHECKED BY : _____

1:6



REV'D /


SIGN NUMBER	31-0694
SIGN PANEL	1.0
EXIT CROWN	
TOTAL (Sq.ft.)	
BDR INSET/WIDTH	0.375" / 0.438"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

PLOTTED : 11/27/2012

[illegible]

1:7




REV'D /

[illegible]

FILE : 31_0695

[illegible]

1:15




REV'D /

SYMBOL	ROT	X	Y	WID	HT
R8_3AA	0	2.2	2.3	19.5	19.5

FILE : 31_0696

[illegible]

1:12



Double Arrow

Right Arrow

SIGN NUMBER	31-0697
PANEL SIZE	1'-0" x 1'-9"
SIGN AREA	1.8 Sq.Ft.
DATE	Jul 17, 2017
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Green/Green
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2	2	2	7.8

FILE : TR_MSH_SIN_31_0697

LENGTH	SERIES/SIZE
--------	-------------

[illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	31-0698
PANEL SIZE	1'-0" x 1'-6"
SIGN AREA	1.5 Sq.Ft.
DATE	Jul 17, 2017
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/White/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_31_0698

[illegible]

1:15



REV'D /

[illegible]


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:15




Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
D7	60	5.6	4.1	6.5	14.3

5

1:15



Ground Mounted


REV'D /

SYMBOL	ROT	X	Y	WID	HT
D7	120	5.4	4.1	6.5	14.3

FILE : 31_0802

[illegible]

1:15



ENGINEER : TLF DESIGNED BY : JMF CHECKED BY : _____


REMOVED "STATE TRAFFIC COMMISSION".

* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

PLOTTED : 12/16/13

[illegible]

1:15



Ground Mounted

REV'D 1/18

Revised sign size to 24" x 30" and revised legend.

SIGN NUMBER	310810
PANEL SIZE	2'-0" x 3'-0"
SIGN AREA	6.0 Sq.Ft.
MUTCD	R10-28
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


[illegible]

FILE : 310810

Jan 11, 2018

[illegible]

1:25



Ground Mounted

REV'D /


SIGN NUMBER	31-0812
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Mar 23, 2018

[illegible]

1:17




ENGINEER : SPC DESIGNED BY : GMF CHECKED BY : _____

REV'D /

SIGN NUMBER	31_0815
SIGN PANEL	8.75
EXIT CROWN	--
TOTAL (Sq.ft.)	8.75
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:17




DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : SPC DESIGNED BY : GMF CH

REV'D /

SIGN NUMBER	31_0816
SIGN PANEL	9.0
EXIT CROWN	--
TOTAL (Sq.ft.)	9.0
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:20




DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : SPC DESIGNED BY : GMF CH

REV'D /

SIGN NUMBER	31_0819
SIGN PANEL	12.0
EXIT CROWN	--
TOTAL (Sq.ft.)	12.0
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:12



REV'D /

[illegible]


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	31-0829	
PANEL SIZE	1'-0" x 1'-6"	
TOTAL (Sq.ft.)	1.5 Sq.Ft.	
DATE	Mar 23, 2017	
BDR INSET/WIDTH	0.38" / 0.38"	
CORNER RADIUS	1.5"	
BACKGROUND	TYPE:	*
	COLOR:	White
LEGEND/BORDER	TYPE:	*
	COLOR:	Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".		

[illegible]

FILE :TR_MSH_SIN_31_0829.dgn

[illegible]

1:18



Ground Mounted

REV'D /


SIGN NUMBER	31-0830
PANEL SIZE	2'-6" x 3'-0"
SIGN AREA	7.5 Sq.Ft.
MUTCD	R10-11a
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE : 31_0830

[illegible]

1:6



Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
SYMBOL	0	1.5	6.1	6	3.8
CIRCLE	0	3.8	0.9	2	2


Jun 07, 2018

[illegible]

1:6

[illegible]

1:6




Ground Mounted

Revised layout per MUTCD R10-4

SYMBOL	ROT	X	Y	WID	HT
Button/Finger	0	1.5	6.8	6	3.8
Green Symbol	0	3.5	1.4	2	2

Jul 05, 2018

[illegible]



ARROW TO BE USED ONLY IF NECESSARY.




(E) EQUAL SPACING

(V) VARIABLE ARROW (L or R)

ARROW TO BE USED ONLY IF NECESSARY
SIGN PANEL - .080 THK. SHEET ALUMINUM
COPY & BORDER - BLACK *


BACKGROUND - WHITE - *
WALK - WHITE * ON BLACK * BACKGROUND.
DON'T WALK - ORANGE * ON BLACK * BACKGROUND.
CONTACT DIVISION OF TRAFFIC ENGINEERING FOR FULL
SCALE DETAIL

* REFER TO CATALOG OF SIGNS FOR
SHEETING TYPE. WHEN COLOR IS
BLACK TYPE IS "PLAIN".



SCALE - NONE

SIGN NUMBER	31-0837
REV'D 11/09	



ARROW TO BE USED ONLY IF NECESSARY.

9"

3/8" DIA BOLT HOLES



(E) EQUAL SPACING

(V) VARIABLE ARROW (L or R)

* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".




ARROW TO BE USED ONLY IF NECESSARY
SIGN PANEL - .080 Thk. SHEET ALUMINUM
COPY & BORDER - BLACK *
BACKGROUND - WHITE - *
PERSON SYMBOL - WHITE * ON BLACK * BACKGROUND.
HAND SYMBOL - ORANGE * ON BLACK * BACKGROUND.
CONTACT DIVISION OF TRAFFIC ENGINEERING FOR FULL
SCALE DETAIL

SCALE - NONE

SIGN NUMBER	31-0838
REV'D 11/09	

1:12




Revised sigm from 18" to 24"

[illegible]

Jun 04, 2018

[illegible]

SIGN DETAIL SEE DETAIL "A"
TYPICAL



SYMBOL	ROT	X	Y	WID	HT
PED SYM	0	1.3	9.8	1.2	1.5
HAND	0	1.3	7.6	1.2	1.5
TIMER	0	1.3	5.5	1.2	1.5
HAND	0	1.3	2.7	1.2	1.5
ARROW	0	1.5	0.9	6.0	0.7

1/4"
typ. — 3/32"
typ.

DETAIL "A"
NO SCALE

SIGN NUMBER	31-0845	
MUTCD	R10-3e	
SIGN PANEL	1'-3" X 0'-9"	
TOTAL (Sq.ft.)	0.9375	
BDR INSET/WIDTH	0.375" / 0.375"	
CORNER RADIUS	1.5"	
BACKGROUND	TYPE:	*
	COLOR:	White
LEGEND/BORDER	TYPE:	*
	COLOR:	Black/Black
"08"/"HAND" SYMBOL	TYPE:	*
	COLOR:	Orange
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".		

REV'D 11/06/2019 - REVISED SIGN TO MATCH MUTCD R10-3 E

FILENAME: 31-0845_L

[illegible]

(E) EQUAL SPACING

Ⓥ VARIABLE ARROW (L or R)

DIMENSIONS ARE IN INCHES

MATERIAL - .080 SHEET ALUMINUM


SIDE MTD.

SIGN SUPPORT NO. N/A

LOCATION N/A

ENGINEER : B. Schilling DESIGNED BY : J. Fascione

1:5



ENGINEER : YKN DESIGNED BY : GMF CHECKED BY : _____


REV'D /

SIGN NUMBER	31-0846
SIGN PANEL	.75
EXIT CROWN	--
TOTAL (Sq.ft.)	.75
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
Hand/Button	0	1.5	7.2	6	3.5

[illegible]

1:15



Ground Mounted

REV'D /


SIGN NUMBER	310847
PANEL SIZE	2'-6" x 3'-0"
SIGN AREA	7.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 25, 2017

[illegible]

1:27



REV'D /

[illegible]

LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:15



Ground Mounted

REV'D 1/18

Revised sign size to 30" x 36"

SIGN NUMBER	310850
PANEL SIZE	2'-6" x 3'-0"
SIGN AREA	7.5 Sq.Ft.
MUTCD	R10-5
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jan 09, 2018

[illegible]

SIGN DETAIL




SIGN NUMBER	31-0851
SIGN PANEL	5.0
EXIT CROWN	--
TOTAL (Sq.ft.)	5.0
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER /SYMBOL (BALL)	TYPE: * COLOR:Black/Black/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 3/11/2013

DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : KAL DESIGNED BY : JMF CHECKED BY : _____

1:17



Dimension are in Inches

Material : .080 Thick Sheet Aluminum

Sign Support No. N/A

Location : N/A

Engineer : A. Mermelstein Designed By: J. Fascione Checked By: **BAS**

Ground Mounted

REV'D /


SIGN NUMBER	31-0852
PANEL SIZE	2'-6" x 3'-0"
TOTAL (Sq.ft.)	7.5 Sq.Ft.
DATE	Jul 15, 2015
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_31_0852.dgn

[illegible]

1:17



Dimension are in Inches

Material : .080 Thick Sheet Aluminum

Sign Support No. N/A

Location : N/A

Engineer : A. Mermelstein Designed By: J. Fascione Checked By: BAS

Ground Mounted

REV'D /


SIGN NUMBER	31-0853
PANEL SIZE	2'-6" x 3'-0"
TOTAL (Sq.ft.)	7.5 Sq.Ft.
DATE	Aug 06, 2015
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_31_0853.dgn

[illegible]

1:20




REV'D /

[illegible]

PLOTTED : 7/29/2016

[illegible]

1:30

[illegible]


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]



SIGN DETAIL



SIGN NUMBER	31-0856
SIGN PANEL	0'-9" x 1'-3"
TOTAL (Sq.ft.)	.9375
MUTCD	R10-3e
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D /

PLOTTED : 7/5/2018



Dimensions are in inches.
Material : .080 Thk. Sheet Aluminum
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

1:35



Ground Mounted

Revised overall sign layout to match MUTCD.


SIGN NUMBER	31-0901
PANEL SIZE	4'-0" x 7'-0"
SIGN AREA	28.0 Sq.Ft.
MUTCD	R3-12a
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White / Black
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
HOV Diamond	0	18.5	58.7	11	22

Jun 13, 2018

[illegible]

1:35



Ground Mounted

REV'D 6/18

Revised overall sign layout to match MUTCD.

SIGN NUMBER	31-0902
PANEL SIZE	4'-0" x 7'-0"
SIGN AREA	28.0 Sq.Ft.
MUTCD	R3-12a
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White / Black
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT
HOV Diamond	0	18.5	58.7	11	22

FILE : 31_0902

Jun 13, 2018

[illegible]

1:45



Ground Mounted


REV'D /

SYMBOL	ROT	X	Y	WID	HT
HOV Diamond	0	32.8	68.1	12.5	25

Jul 02, 2018

[illegible]

1:25



Ground Mounted

REV'D /


SIGN NUMBER	31-0904
PANEL SIZE	6'-6" x 3'-0"
SIGN AREA	19.5 Sq.Ft.
MUTCD	R3-11P
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jun 13, 2018

[illegible]

1:45



SIGN NUMBER	31-0905
PANEL SIZE	5'-0" x 3'-0"
SIGN AREA	15.0 Sq.Ft.
MUTCD	R3-10 (CT)
BDR INSET/WIDTH	1" / 1"
CORNER RADIUS	5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black / Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT
HOV Diamond	0	1.8	23.8	5	10

REV'D /

Oct 20, 2021

[illegible]

1:35



Ground Mounted

REV'D 6/18

Revised sign layout and letter series.
--


SIGN NUMBER	31-0906
PANEL SIZE	8'-0" x 5'-0"
SIGN AREA	40.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
HOV Diamond	0	7.2	34.2	10.5	21

FILE : 31_0906

[illegible]

1:35



REV'D 6/18

Revised sign layout and letter series.
--

SIGN NUMBER	31-0907
PANEL SIZE	8'-0" x 4'-0"
SIGN AREA	32.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT
HOV Diamond	0	7.2	22.3	10.5	21

FILE : 31_0907

Ground Mounted

[illegible]

1:13



Ⓟ Variable Legend

Ground Mounted

REV'D /

SIGN NUMBER	311002
PANEL SIZE	2'-0" x 2'-6"
SIGN AREA	5.0 Sq.Ft.
MUTCD	R12-1
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jan 11, 2018


[illegible]

1:25



UPDATED TO CONFORM TO MUTCD.

[illegible][illegible]



BORDER = 1"

SIGN PANEL - .125 Thk. Sheet Aluminum

COPY and BORDER - Black Plain

BACKGROUND - Silver ReflectORIZED - Enclosed Lens

ENG. J.K. DESIGN F.C.L.G. 8/87 CHECKED *JMC*

CONNECTICUT D. O. T.
Bur. of Hwys., Div. of Traffic

Scale : 1 / 12 (1 Ft = 1")

CODE :

31 - 1007

Decimals represent eighth of an inch.

1:30



Variable Numeral

Ground Mounted

REV'D /

[illegible]


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]


1:15



Ground Mounted

[illegible][illegible]

1:25



Ground Mounted

REV'D 9/17

REV'D TO SHT. ALUMINUM

SIGN NUMBER	311011
PANEL SIZE	5'-0" x 3'-6"
SIGN AREA	17.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 22, 2017

[illegible]

1:20



Ground Mounted

REV'D 3/18

Revised legend and sign size.


SIGN NUMBER	31-1012
PANEL SIZE	2'-6" x 3'-6"
SIGN AREA	8.8 Sq.Ft.
MUTCD	R12-1 (CT
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Mar 23, 2018

[illegible]

1:25



Ground Mounted

REV'D /


SIGN NUMBER	30-1018
PANEL SIZE	3'-0" x 5'-0"
SIGN AREA	15.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN	

[illegible]

FILE :31-1018

[illegible]

1:20



REV'D /

[illegible]


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:15



Ground Mounted

REV'D /

SIGN NUMBER	31-1021
PANEL SIZE	2'-0" x 2'-6"
SIGN AREA	5.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.63" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE : 31-1010

[illegible]

1:17

The diagram shows a rectangular sign with a yellow top section and a white bottom section. The top section contains the text "BRIDGE AHEAD". The bottom section contains the text "WEIGHT LIMIT" above a truck icon, which is above the text "00 TONS". Dimensions are provided for the sign's overall size and internal components:

- Overall Width:** 3'-0"
- Overall Height:** 3'-0"
- Yellow Section Height:** 3.05"
- White Section Height:** 2.5"
- Truck Icon Height:** 4"
- Text "00 TONS" Height:** 8.5"
- Text "WEIGHT LIMIT" Height:** 4"
- Text "BRIDGE AHEAD" Height:** 3"
- Sign Border Thickness:** 0.4"
- Section Spacing:** 6.35" (between yellow and white sections), 23.3" (between text and truck icon), and 6.35" (between truck icon and "00 TONS").

Ground Mounted


Revised sign colors

SYMBOL	ROT	X	Y	WID	HT
Truck Sym.	0	13.2	9	9.7	4

Mar 23, 2018

[illegible]

1:20



⑤ Variable Legend

Ground Mounted

REV'D /

SIGN NUMBER	31-1039 1 of 2
PANEL SIZE	2'-6" x 3'-0"
SIGN AREA	7.5 Sq.Ft.
MUTCD	R12-5 CT
BDR INSET/WIDTH	0.375"/0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
Dump	0	10	12.5	10	4


FILE : TR_MSH_SIN_31_1041 Aug 23, 2017

[illegible]


DUMP TRUCK DETAIL

1" = 1"

SIGN NUMBER	31-1039 2 of 2
SYMBOL SIZE	10" x 4"
SYMBOL	TYPE: *
	COLOR: Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	



1:20



Ⓥ Variable Number

Ground Mounted

REV'D /

SIGN NUMBER	31-1040
PANEL SIZE	2'-0" x 3'-0"
SIGN AREA	6.0 Sq.Ft.
MUTCD	R12-5 CT
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
Truck Single	0	2	16	6.4	3.5
Dump	0	2	9.5	8.7	3.5
Semi-Trailer	0	2	3	10.1	3.5


FILE :TR_MSH_SIN_31_1041 Aug 23, 2017

[illegible]


DUMP TRUCK DETAIL

1" = 1"

SIGN NUMBER	31-1040 2 of 2
SYMBOL SIZE	8.7" x 3.5"
SYMBOL	TYPE: *
	COLOR: Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	



1:20



Ⓥ Variable Number

Ground Mounted

REV'D /

SIGN NUMBER	31-1041 1 of 1
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	R12-5 CT
BDR INSET/WIDTH	0.375"/0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
Truck	0	3.1	16.2	6.4	3.5
Semi-Trailer	0	3.1	9.7	10.1	3.5
Dump	0	3	3.2	8.7	3.5


FILE :TR_MSH_SIN_31_1041 Aug 23, 2017

[illegible]


DUMP TRUCK DETAIL

1" = 1"

SIGN NUMBER	31-1041 2 of 2
SYMBOL SIZE	8.7" x 3.5"
SYMBOL	TYPE: *
	COLOR: Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	



1:20



Dimension are in Inches

Material : .080 Thick Sheet Aluminum

Engineer : K. Ng / Designed By: J. Fascione / Checked By:_____


REV'D /

SYMBOL	ROT	X	Y	WID	HT
Truck	0	3.2	5	10	4

LETTER POSITIONS (X)

[illegible]

1:15




Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

SYMBOL	ROT	X	Y	WID	HT
Truck-Single unit	0	2	10	7	3.5
Semi-Trailer	0	2	3.5	10.5	3.5

[illegible]

1:30



Dimension are in Inches

Material : .100 Thick Sheet Aluminum

Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

REV'D /

SIGN NUMBER	31-1050
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
Truck Single	0	5	14.8	12	6
Semi-Trailer	0	5	5.2	17.9	6

FILE : 31-1050

11/16/2019


[illegible]

1:25

[illegible]

6

1:30



Ground Mounted

REV'D /


SIGN NUMBER	31-1103
PANEL SIZE	6'-6" x 4'-0"
SIGN AREA	26.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE : 31-1103

[illegible]

SIGN DETAIL



A	B	C	D	E	F	G	H	J	K	L
30	6.5	4D	2	5	14.5	12.5	9.75	10	1.875	7.875

SIGN NUMBER	31-1119
SIGN PANEL	6.25
EXIT CROWN	--
TOTAL (Sq.ft.)	6.25
BDR INSET/WIDTH	N/A
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/SYMBOL	TYPE: *
	COLOR: White/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 8/12
REVISED TO MATCH MUTCD.

PLOTTED : 8/28/2012

DIMENSIONS ARE IN INCHES

MATERIAL : .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION :N/A

ENGINEER : TLF DESIGNED BY : JMF CHECKED BY : _____

1:30

Diagram illustrating the dimensions of a "DO NOT ENTER" sign. The sign is a red circle with a white horizontal bar across the center. The text "DO NOT" is above the bar and "ENTER" is below the bar, both in white capital letters. The sign is mounted on a white rectangular background.

Dimensions:

- Overall width: 4'-0"
- Overall height: 4'-0"
- Sign diameter: 48"
- White bar height: 14.4"
- Red circle height (above bar): 10.4"
- Red circle height (below bar): 10.4"
- White background height (above bar): 6.4"
- White background height (below bar): 6.4"

Labels:

- RED (pointing to the red circle)
- WHITE (pointing to the white background)

Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
R5_1B	0	0	0	48	48

LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:15

Diagram of a rectangular sign with the text "WRONG WAY" in white capital letters on a red background. The sign has a white border. Dimensions are indicated by arrows and text:

- Overall width: 3'-0"
- Overall height: 2'-0"
- Text height: 4.5"
- Space between text lines: 6"
- Space from top border to text: 3"
- Space from bottom text to bottom border: 6"
- Space from right border to text: 4.5"
- Space from left border to text: 4.85"
- Text width: 26.3"

R5-1a

REV'D /

Ground Mounted


SIGN NUMBER	31-1122
PANEL SIZE	3'-0" x 2'-0"
SIGN AREA	6.0 Sq.Ft.
MUTCD	R5-1a
BDR INSET/WIDTH	0" / 0.75"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Red
LEGEND/BORDER	TYPE: *
	COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE : 31-1122

[illegible]

SIGN DETAIL



R5-1a
WRONG WAY


A	B	C	D	E	F	G	H	J
42	30	.875	5	8D	4	17.75	10.75	1.875

SIGN NUMBER	31-1123
SIGN PANEL	8.75
EXIT CROWN	--
TOTAL (Sq.ft.)	8.75
BDR INSET/WIDTH	0"/.875"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: * COLOR: Red
LEGEND/SYMBOL	TYPE: * COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D 8/12	
REVISED TO MATCH MUTCD.	

PLOTTED : 8/28/2012

DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : TLF DESIGNED BY : JMF CHECKED BY : _____

SIGN DETAIL



R6-3
DIVIDED HIGHWAY CROSSING


SIGN NUMBER	31-1134
SIGN PANEL	5.0
EXIT CROWN	--
TOTAL (Sq.ft.)	5.0
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 7/17/2014

DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : DLS DESIGNED BY : JMF CHECKED BY : EB

A	B	C	D	E	F	G	H
30	24	.5	.75	3	3E	1.375	4.625
J	K	L	M	N	P	Q	R
8.516	12.602	6.646	2	1.327	1.327	9.842	1.875

SIGN DETAIL



R6-3a
DIVIDED HIGHWAY CROSSING


SIGN NUMBER	31-1135
SIGN PANEL	5.0
EXIT CROWN	--
TOTAL (Sq.ft.)	5.0
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 7/17/2014

DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : DLS DESIGNED BY : JMF CHECKED BY : EB

A	B	C	D	E	F	G	H
30	24	.5	.75	3	3E	2.625	3.375
J	K	L	M	N	P	Q	R
4.625	1.375	8.516	12.463	6.669	2.026	1.350	1.350
S	T						
9.842	1.875						

SIGN DETAIL




A	B	C	D	E	F	G	H	J	K
36	30	.625	.875	3.688	4E	1.625	5.688	11.354	15.377
L	M	N	P	Q	R				
8.064	2.428	1.62	1.62	13.061	2.25				

SIGN NUMBER	311136
SIGN PANEL	3'-0" x 2'-6"
TOTAL (Sq.ft.)	7.5
MUTCD	R6-3
BDR INSET/WIDTH	0.375" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 1/18

Revised sign size to 36" x 30"

PLOTTED : 2/8/2018



ARROWHEAD DETAIL
N.T.S.

S	T	U	V	X
2.465	2.875	5.0625	.375	.5

Dimensions are in inches.

Material : .080 Thk. Sheet Aluminum

Side Mounted

Location : N/A

Engineer : B. Schilling / Designed By : J.Fascione / Checked By :

SIGN DETAIL




A	B	C	D	E	F	G	H	J	K
36	30	.625	.875	3.688	4E	3	4.133	5.867	1.625
L	M	N	P	Q	R	S	T		
11.354	15.851	8.364	2.465	1.668	1.677	13.051	2.25		

SIGN NUMBER	311137
SIGN PANEL	3'-0" x 2'-6"
TOTAL (Sq.ft.)	7.5
MUTCD	R6-3a
BDR INSET/WIDTH	0.375" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 1 / 18

Revised sign size to 36" x 30"

PLOTTED : 2/8/2018



ARROWHEAD DETAIL
N.T.S.

U	V	W	X	Y
2.465	2.875	5.0625	.375	.5

Dimensions are in inches.


Material : .080 Thk. Sheet Aluminum

Side Mounted

Location : N/A

Engineer : B. Schilling / Designed By : J.Fascione / Checked By :

SIGN DETAIL
1:10




SIGN NUMBER	31-1138 L or R
SIGN PANEL	5.0
EXIT CROWN	--
TOTAL (Sq.ft.)	5.0
BDR INSET/WIDTH	N/A
CORNER RADIUS	1.5"
BACKGROUND	TYPE: * COLOR: White
SYMBOL	TYPE: * COLOR: BLACK
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
REV'D /					

DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : BAS DESIGNED BY : _____

1:10



R6-4a

SIGN NUMBER	31-1139 L or R
SIGN PANEL	8.0
EXIT CROWN	--
TOTAL (Sq.ft.)	8.0
BDR INSET/WIDTH	N/A
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
SYMBOL	TYPE: *
	COLOR: BLACK
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT

REV'D /

ENGINEER : BBR DESIGNED BY : GMF CHECKED BY : BBR

SIGN DETAIL
1:10

SIGN NUMBER	31-1140 L or R
SIGN PANEL	10.0
EXIT CROWN	--
TOTAL (Sq.ft.)	10.0
BDR INSET/WIDTH	N/A
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
SYMBOL	TYPE: *
	COLOR: BLACK
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	




R6-4b

DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : BBR DESIGNED BY : GMF CHECKED BY : BBR

REV'D /

SIGN DETAIL

1:25



R6-5P

ROUNDBOUT CIRCULATION (PLAQUE)

SIGN NUMBER	31-1141
SIGN PANEL	6.25
EXIT CROWN	
TOTAL (Sq.ft.)	6.25
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED :5/2/2014

DIMENSIONS ARE IN INCHES

MATERIAL : .080 THK.SHEET ALUMINUM


SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION : N/A

ENGINEER : JAM DESIGNED BY : JMF CHECKED BY : PJC

1:17




REV'D /

SYMBOL	ROT	X	Y	WID	HT
AR_D7	0	5.2	3.5	9.5	19.6

[illegible]

1:15




SYMBOL	ROT	X	Y	WID	HT
D9	270	3.8	3.2	7.6	16.8

Jan 08, 2018

SERIES/SIZE

[illegible]

1:10



REV'D /

SYMBOL	ROT	X	Y	WID	HT
ARROW31-11790		2	1.4	9.2	31


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

SIGN DETAIL



A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
54	18	1	5.5	3.5	5	4	12.309	2.929	12.762	13	4	5D	1.875	17


SIGN NUMBER	31-1178
SIGN PANEL	6.75
EXIT CROWN	--
TOTAL (Sq.ft.)	6.75
BDR INSET/WIDTH	0"/1"
CORNER RADIUS	1.875"
BACKGROUND/ LEGEND	TYPE: * COLOR: Black/Black
BORDER/ARROW	TYPE: * COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D 9/12	
REVISED TO MATCH MUTCD.	

PLOTTED : 9/19/2012

DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : TLF DESIGNED BY : JMF CHECKED BY : _____



1:10




SIGN NUMBER	31-1188
PANEL SIZE	3'-0" x 1'-0"
SIGN AREA	3.0 Sq.Ft.
MUTCD	R6-1L
BDR INSET/WIDTH	0" / 0.5"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Black
LEGEND/BORDER	TYPE: *
	COLOR: Black/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

FILE : 31-1177

[illegible]

SIGN DETAIL



A	B	C	D	E	F	G	H	J	K	L	M	N	P
54	18	1	5.5	3.5	4	13	12.309	2.929	12.762	4	5	5D	1.875

SIGN NUMBER	31-1189
SIGN PANEL	6.75
EXIT CROWN	--
TOTAL (Sq.ft.)	6.75
BDR INSET/WIDTH	0"/1"
CORNER RADIUS	1.875"
BACKGROUND/ LEGEND	TYPE: *
	COLOR: Black/Black
BORDER/ARROW	TYPE: *
	COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D 9/12	
REVISED TO MATCH MUTCD.	

PLOTTED : \$DATE\$

DIMENSIONS ARE IN INCHES

MATERIAL : .100 THK.SHEET ALUMINUM


SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION :N/A

ENGINEER : TLF DESIGNED BY : JMF CHECKED BY : _____

1:12



REV'D /

[illegible]

LETTER POSITIONS (X)


LENGTH

SERIES/SIZE

[illegible]

SIGN DETAIL

1:12



SIGN NUMBER	31-1348
PANEL SIZE	3'-0" x 2'-0"
SIGN AREA	6.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT


Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

REV'D /

FILE : 31-1348

[illegible]


1:20



SIGN NUMBER	31-1349
PANEL SIZE	3'-6" x 2'-6"
SIGN AREA	8.8 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:15

[illegible]


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:35



SYMBOL	ROT	X	Y	WID	HT
AR_Type A	135	8.1	10.2	14	22.1


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:15



Ground Mounted

REV'D /

SIGN NUMBER	31-1305
PANEL SIZE	2'-0" x 2'-6"
SIGN AREA	5.0 Sq.Ft.
MUTCD	R4-5
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE : 31-1505

[illegible]


Dimensions are in inches.

Material : .080 Thk. Sheet Aluminum

Side Mounted


Location : N/A

Engineer : Alex Mermelstein / Design



PLOTTED : 2/28/2018

1:30



Ground Mounted

REV'D /


SIGN NUMBER	31-1507
PANEL SIZE	8'-0" x 4'-0"
SIGN AREA	32.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.63" / 1.25"
CORNER RADIUS	6"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE : 31-1507

[illegible]

1:15



Dimension are in Inches

Material : .080 Thick Sheet Aluminum

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted

REV'D /


SIGN NUMBER	31-1511
PANEL SIZE	2'-0" x 2'-6"
SIGN AREA	5.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	270	4.9	3.1	7	14.3

FILE : 31-1511

[illegible]

1:25



Ground Mounted

REV'D /


SIGN NUMBER	31-1512
PANEL SIZE	6'-6" x 3'-0"
SIGN AREA	19.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE : 31-1512

[illegible]

1:20




REV'D /

SYMBOL	ROT	X	Y	WID	HT
D15	270	6.5	5	12	35.4

FILE : 31-1513

[illegible]


1:15



SIGN NUMBER	31-1515
PANEL SIZE	3'-0" x 1'-6"
SIGN AREA	4.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:12



DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : NCM DESIGNED BY : JMF CH

REV'D /


SIGN NUMBER	31-1516
SIGN PANEL	5.25
EXIT CROWN	--
TOTAL (Sq.ft.)	5.25
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

PLOTTED : \$DATES\$

[illegible]

1:15



Ground Mounted

REV'D /


SIGN NUMBER	311517
PANEL SIZE	2'-0" x 2'-6"
SIGN AREA	5.0 Sq.Ft.
MUTCD	R4-9
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Mar 09, 2018

[illegible]

1:20




REV'D /

[illegible]

Mar 09, 2018

[illegible]

1:25



Ground Mounted

REV'D /


SIGN NUMBER	311519
PANEL SIZE	4'-0" x 5'-0"
SIGN AREA	20.0 Sq.Ft.
MUTCD	R4-9
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Mar 09, 2018

[illegible]

1:25





REV'D /

[illegible]

Nov 22, 2019

[illegible]

SIGN DETAIL
1:25



SIGN NUMBER	31-1526
PANEL SIZE	2'-0" x 2'-6"
SIGN AREA	5.0 Sq.Ft.
MUTCD	R4-7
BDR INSET/WIDTH	.375" /.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
SYMBOL/BORDER	TYPE: *
	COLOR: Black/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	



SYMBOL	ROT	X	Y	WID	HT
REV'D /					

FILE : 31-1546

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S	T	U	V	W
24	30	.375	.625	4.5	12.5	2.5	6	1.875	7.375	6.25	8	30	2	4	9	5.5	3	1.375	2.75	1.5

Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

SIGN DETAIL
1:25



SIGN NUMBER	31-1536
PANEL SIZE	3'-0" x 4'-0"
SIGN AREA	12.0 Sq.Ft.
MUTCD	R4-7
BDR INSET/WIDTH	.625" /.875"
CORNER RADIUS	2.25
BACKGROUND	TYPE: *
	COLOR: White
SYMBOL/BORDER	TYPE: *
	COLOR: Black/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	



SYMBOL	ROT	X	Y	WID	HT
REV'D /					

FILE :31-1536

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S	T	U	V	W
36	48	.625	.875	6.75	18.75	3.75	4.5	2.813	11.125	9.375	12	45	3	6	13.5	8.25	4.5	2	2.75	2.25

Dimension are in Inches
Material : .100 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

SIGN DETAIL
1:25



SIGN NUMBER	31-1546
PANEL SIZE	4'-0" x 5'-0"
SIGN AREA	20.0 Sq.Ft.
MUTCD	R4-7
BDR INSET/WIDTH	.75" /1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
SYMBOL/BORDER	TYPE: *
	COLOR: Black/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT
REV'D /					

FILE :31-1546

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S	T	U	V	W
48	60	.75	1.25	9	25	5	6	3.75	14.813	12.5	16	60	4	8	18	11	6	2.688	5	3

Dimension are in Inches
Material : .100 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

1:25



Ground Mounted

REV'D 6/10

Revised to meet MUTCD.

SIGN NUMBER	31-1548
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	R4-10
BDR INSET/WIDTH	1.25" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


[illegible]

FILE : 31-1548

Jun 04, 2018

[illegible]

1:15



Ground Mounted

REV'D /


SIGN NUMBER	31-1562
PANEL SIZE	2'-0" x 2'-6"
SIGN AREA	5.0 Sq.Ft.
MUTCD	R4-3
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE : 31-1562

[illegible]

1:30




Revised to MUTCD

[illegible][illegible]

SIGN DETAIL

Note :
Border/Arrow Color : Black
Circle w/ Slash Color : Red



A	B	C	D	E	F	G	H	J	K	L
24	.375	.625	10.5	8.5	1.5	2.5	10.5	11.5	2	.5

SIGN NUMBER	31-1603
PANEL SIZE	2'-0" x 2'-0"
SIGN AREA	4.0 Sq.Ft.
MUTCD	R3-2
BDR INSET/WIDTH	.375" / .625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
SYMBOLS/BORDER	TYPE: *
	COLOR: See Sign
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
R3_2B	0	4.5	5.5	11.5	12.6
R3_2A	0	1.5	1.5	21	21

REV'D /


FILE :31-1603



Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

SIGN DETAIL

Note :
Border/Arrow Color : Black
Circle w/ Slash Color : Red



A	B	C	D	E	F	G	H	J	K	L
24	.375	.625	10.5	8.5	1.5	2.5	10.5	11.5	2	.5

SIGN NUMBER	31-1604
PANEL SIZE	2'-0" x 2'-0"
SIGN AREA	4.0 Sq.Ft.
MUTCD	R3-1
BDR INSET/WIDTH	.375" / .625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: * COLOR: White
SYMBOLS/BORDER	TYPE: * COLOR: See Sign
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
R3_2B	0	4.5	5.5	11.5	12.6
R3_2A	0	1.5	1.5	21	21

REV'D /

FILE :31-1604



Dimension are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

1:12



Variable Legend

Dimension are in Inches

Material : .080 Thick Sheet Aluminum

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted


REV'D /

SYMBOL	ROT	X	Y	WID	HT
	0	10.7	10.8	2	2
	0	14	10.8	2	2
	0	11.2	5	2	2
	0	14.2	4.9	2	2

FILE : 31-1605

[illegible]

1:30



Ground Mounted

REV'D /

SIGN NUMBER	31-1607
PANEL SIZE	6'-6" x 4'-6"
SIGN AREA	29.3 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	6.6	37.6	8.5	12.7
AR_Type D	360	59.9	9.8	8.5	12.7

FILE : 31-1607

Nov 23, 2019

[illegible]

1:30



SYMBOL	ROT	X	Y	WID	HT
AR_Type D	360	12.6	45.6	8.5	12.7
AR_Type D	270	23.6	5.8	8.5	12.7

REV'D /

Nov 23, 2019

[illegible]

1:30




ENGINEER : M.W.L. DESIGNED BY : M.J.C. CHECKED BY : _____

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	270	39.4	47.8	8.5	12.7
AR_Type D	90	23.6	5.8	8.5	12.7

SERIES/SIZE

[illegible]


1:12

[illegible]

REV'D /

[illegible]

1:10



ENGINEER : BFS DESIGNED BY : GMF CHECKED BY : _____


REV'D /

SIGN NUMBER	31-1612
SIGN PANEL	3.0
EXIT CROWN	--
TOTAL (Sq.ft.)	3.0
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:20

Circle w/ Slash Color : Red



A	B	C	D	E	F	G
10.5	8.5	2.5	10.5	11.5	1.5	.5

SIGN NUMBER	31-1613
PANEL SIZE	2'-0" x 3'-0"
SIGN AREA	6.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]



REV'D

FILE : 31-1613

Ground Mounted

[illegible]

1:17



A	B	C	D	E	F	G	H	J
10.5	8.5	1.5	2.5	10.5	1.5	11.5	2	2.5

Ground Mounted

SIGN NUMBER	311615
PANEL SIZE	2'-0" x 3'-0"
SIGN AREA	6.0 Sq.Ft.
MUTCD	R3-1 (CT)
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER/ CIRCLE	TYPE: *
	COLOR: Black/Black/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

REV'D /

Mar 27, 2018

[illegible]

1:15

Technical drawing of a rectangular sign with a black border and a light gray background. The sign features the text "TRUCKS" and "BUSES" in large, bold, black capital letters. Below the text is a red circle with a diagonal slash, indicating a prohibition. Inside the circle is a black silhouette of a truck. The drawing includes various dimension lines and labels (A, B, C, D, E, F, G) indicating the size and placement of the elements. The overall dimensions are 36 inches wide and 54 inches high. The text "TRUCKS" is 36 inches high, and "BUSES" is 36 inches high. The red circle has a diameter of 36 inches. The truck silhouette is 36 inches wide and 36 inches high. The diagonal slash is 36 inches long. The labels A, B, C, D, E, F, and G indicate specific dimensions and positions within the sign.



A	B	C	D	E	F	G
15.75	12	3.75	3.75	17.4	2.25	.75

Ground Mounted

SIGN NUMBER	31-1616
PANEL SIZE	3'-0" x 4'-5"
SIGN AREA	13.5 Sq.Ft.
MUTCD	R3-1 (CT)
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: See Sign
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

REV'D /

6/12/2018

[illegible]

1:25

REV'D /

SYMBOL	ROT	X	Y	WID	HT
R3_4A	0	2.3	5.8	31.5	31.5

Ground Mounted

Dec 06, 2017

[illegible]


SIGN DETAIL
1:10



SIGN NUMBER	31-1622
PANEL SIZE	2'-0" x 2'-0"
SIGN AREA	4.0 Sq.Ft.
MUTCD	R3-4
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER/ CIRCLE	TYPE: *
	COLOR:Black/Black/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

FILE :311622


Aug 26, 2017



A	B	C	D	E	F	G	H	J	K	L	M
24	.5	.75	13.125	10.625	2.5	2.5	6	2.25	1.5	2	5

Dimensions are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

SIGN DETAIL
1:30



R3-2
LEFT TURN PROHIBITION

A	B	C	D	E	F	G	H	J	K	L
48	.75	1.25	21	17	3	5	21	23	4	1

NOTE : Sign requested by District 3 Maintenance.

Dimension are in Inches
Material : .100 Thick Sheet Aluminum
Sign Support No. N/A
Location : N/A
Engineer : T. Fogarty, Designed By: J. Fascione, Checked By: T.L.F.
Ground Mounted


SIGN NUMBER	31-1623
PANEL SIZE	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0 Sq.Ft.
DATE	Mar 07, 2017
BDR INSET/WIDTH	.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

FILE :TR_MSH_SIN_31_1623.dgn

REV'D /

1:15




SYMBOL	ROT	X	Y	WID	HT
D2RT90	0	21.5	20.7	5.3	6.3
Yield	0	2.2	4.2	10.3	9
Pedestrain	0	20.5	2.7	6.4	12

Oct 26, 2018

[illegible]

1:15



REV'D /

SYMBOL	ROT	X	Y	WID	HT
D2RT90	0	21.5	20.7	5.3	6.3
Yield	0	2.2	4.2	10.3	9
Pedestrain	0	20.5	2.7	6.4	12

Oct 26, 2018


[illegible]

SIGN DETAIL
1:20



SIGN NUMBER	311627
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	R3-1
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
SYMBOL/BORDER/CIRCLE	TYPE: *
	COLOR:Black/Black/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

FILE :311627 Aug 26, 2017




A	B	C	D	E	F	G	H	J	K
36	.625	.875	15.75	12.75	2.25	3.75	12.75	17.25	3

Dimensions are in Inches
 Material : .080 Thick Sheet Aluminum
 Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
 Ground Mounted

SIGN DETAIL
1:20



SIGN NUMBER	311629
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	R3-1
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
SYMBOL/BORDER/ CIRCLE	TYPE: *
	COLOR:Black/Black/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	




A	B	C	D	E	F	G	H	J	K
36	.625	.875	15.75	12.75	2.25	3.75	12.75	17.25	3

Dimensions are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

1:15

To be used with turn restrictions



Ⓥ Variable Legend

Ground Mounted

REV'D /

SIGN NUMBER	311631
PANEL SIZE	2'-6" x 1'-6"
SIGN AREA	3.8 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 28, 2017

[illegible]


SIGN DETAIL
1:10



SIGN NUMBER	31-1632
PANEL SIZE	2'-0" x 2'-0"
SIGN AREA	4.0 Sq.Ft.
MUTCD	R3-4
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER/CIRCLE	TYPE: *
	COLOR:Black/Black/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

FILE :311622


Aug 26, 2017



A	B	C	D	E	F	G	H	J	K	L	M
36	.625	.875	15.75	12.75	3.75	3.75	9	3.375	2.25	3	7.5

Dimensions are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

SIGN DETAIL




SIGN NUMBER	387-31-1633
SIGN PANEL	4.0
EXIT CROWN	- -
TOTAL (Sq.Ft)	4.0
BORDER WIDTH	3⁄8" 5⁄8"
CORNER RADIUS	1 1⁄2"
BACKGROUND	TYPE: III
	COLOR: White
SYMBOL/BORDER	TYPE: Plain
	COLOR: Black
CIRCLE/DIAGONAL	TYPE: III
	COLOR: Red

R3-18

COMBINATION U-TURN & LEFT TURN PROHIBITION

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S
24	.375	.825	10.407	8.566	2.081	3.682	1.841	6.805	.400	51.879	4.323	2.241	2.922	1.601	8.086	1.5

DIMENSIONS ARE IN INCHES
MATERIAL - .080 SHEET ALUMINUM
SIDE MTD.
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER P.J.C. DESIGNED BY : G.M.F. CHECKED BY -----




ARROWHEAD DETAIL
N.T.S.

A	B	C	D	E
2	2.313	4.313	.313	.375

REV'D /0

SIGN DETAIL




SIGN NUMBER	387-31-1634
SIGN PANEL	9.0
EXIT CROWN	- -
TOTAL (Sq.Ft)	9.0
BORDER WIDTH	5/8" 7/8"
CORNER RADIUS	2"
BACKGROUND	TYPE: III
	COLOR: White
SYMBOL/BORDER	TYPE: Plain
	COLOR: Black
CIRCLE/DIAGONAL	TYPE: III
	COLOR: Red

R3-18

COMBINATION U-TURN & LEFT TURN PROHIBITION

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S
36	.625	.875	15.611	12.889	3.122	5.524	2.722	10.247	7.560	2.161	6.484	3.362	4.363	2.401	12.089	2.25

DIMENSIONS ARE IN INCHES
MATERIAL - .080 SHEET ALUMINUM
SIDE MTD.
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER P.J.C. DESIGNED BY : G.M.F. CHECKED BY -----




ARROWHEAD DETAIL
N.T.S.

A	B	C	D	E
3.125	3.625	6.375	.5	.625

REV'D	/0

1:24



Ground Mounted

REV'D /

SIGN NUMBER	31-1635
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 25, 2017

[illegible]

Technical drawing of a rectangular sign with rounded corners, labeled "TRUCKS BUSES". The sign features a red circle with a diagonal slash over a truck icon. Dimensions and callouts are as follows:

- Top Dimensions:**
 - Overall width: 3'-0"
 - Left margin: 3.3"
 - Text area width: 29.6"
 - Right margin: 3.1"
- Sign Content:**
 - Text: "TRUCKS" and "BUSES" in bold, black, sans-serif font.
 - Graphic: A red circle with a diagonal slash over a truck icon.
- Callouts and Internal Dimensions:**
 - A:** Angle of the diagonal slash.
 - B:** Angle of the truck icon's front end.
 - C:** Horizontal distance from the center to the right edge of the truck icon.
 - D:** Vertical distance from the center to the bottom edge of the truck icon.
 - E:** Horizontal distance from the center to the right edge of the truck icon.
 - F:** Vertical distance from the center to the bottom edge of the truck icon.
 - G:** Angle of the truck icon's front end.
- Overall Dimensions:**
 - Overall height: 15"

**TRUCKS
BUSES**



SYMBOL	ROT	X	Y	WID	HT

REV'D /

A	B	C	D	E	F	G
15.75	12	3.75	3.75	17.4	2.25	.75

[illegible]

1:17

REV'D /


SYMBOL	ROT	X	Y	WID	HT
R3-4	0	1.5	1.8	21	21

Ground Mounted

Dec 06, 2017

[illegible]

1:17




DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : SPC DESIGNED BY : GMF CH

REV'D 1/
REVISED SHEETING TYPE.

SIGN NUMBER	31_1647
SIGN PANEL	9.0
EXIT CROWN	--
TOTAL (Sq.ft.)	9.0
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

1:12




REV'D /

[illegible]

Aug 28, 2017

[illegible]

SIGN DETAIL
1:12



SIGN NUMBER	311701
PANEL SIZE	2'-0" x 2'-0"
SIGN AREA	4.0 Sq.Ft.
MUTCD	R5-2
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: * COLOR: White
TRUCK/BORDER/ CIRCLE	TYPE: * COLOR:Black/Black/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS "BLACK" TYPE IS "PLAIN".	


A	B	C	D	E	F	G	H	J	K
24	.375	.625	10.5	8.5	6.5	6.875	1.375	1.5	1

Dimensions are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted



FULL SCALE 24" X 24"

1:8



Revised size of sign to 12" x 18".

[illegible]

Jan 08, 2018

[illegible]

1:10



Ground Mounted

REV'D /

[illegible]

Jun 24, 2019

[illegible]

SIGN DETAIL




A	B	C	D	E	F	G	H	J
18	.375	.625	3.5	5.5	6.375	7.875	1.5	1.5

SIGN NUMBER	311705
PANEL SIZE	1'-6" x 1'-6"
SIGN AREA	2.25 Sq.Ft.
MUTCD	R9-3a
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
SYMBOL/BORDER/CIRCLE	TYPE: *
	COLOR: Black/Black/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

Dimensions are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

1:10




Revised legend and sign size.

[illegible]

Mar 23, 2018

[illegible]

1:10



REV'D /

SIGN NUMBER	311707
PANEL SIZE	1'-6" x 2'-0"
SIGN AREA	3.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: RGB[0,1,1]/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT
AR_Type A	0	7.4	2	3.4	5.4

FILE : 311707

Aug 29, 2017

[illegible]

1:10




Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
ARW Double	90	5.1	1.8	3.5	7.9
ARW Left	90	6.4	1.9	3.5	5.2
ARW Right	270	6.4	1.9	3.5	5.2

Aug 29, 2017

[illegible]



SIGN PANEL-100 THK. Sheet Aluminum.
 COPY & BORDER-Black Plain.
 BACKGROUND-Silver Reflectorized-Enclosed Lens.

CONNECTICUT
 DEPARTMENT OF TRANSPORTATION
 BUREAU OF HIGHWAYS
 DIVISION OF TRAFFIC

Regulatory Sign


SUBMITTED Manu R. Patel DATE 8/7/86
 TRANS. ASSOC. ENG.

APPROVED Vincent DATE 3/26/87
 ENG. OF TRAFFIC

SHEET 1 OF 2 SCALE 1"=1'
 ENG. Ed Karpiej

CAT. # 387-31-1710

1:12




Revised sign size to 24" x 24" per MUTCD.
--

[illegible]

Jul 02, 2018


[illegible]

SIGN DETAIL



SIGN NUMBER	31-1713
SIGN PANEL	3.0
EXIT CROWN	--
TOTAL (Sq.Ft)	3.0
BORDER WIDTH	See Detail
CORNER RADIUS	See Detail
BACKGROUND	TYPE: See Below COLOR: See Below
LEGEND/BORDER	TYPE: See Below COLOR: See Below

REV'D /0



* Legend is optional.

** Series 2000 Standard Alphabets.

*** Insert R1-2 and size to fit.

**** See standard highway detail # 6-10

COLORS : LEGEND - BLACK
 BACKGROUND - FLUORESCENT YELLOW-GREEN
 YIELD SYMBOL - RED (RETROREFLECTIVE) ON WHITE, (RETROREFLECTIVE)
 PED SYMBOL - BLACK ON WHITE (RETROREFLECTIVE)

DIMENSIONS ARE IN INCHES
 MATERIAL - .080 THK.SHEET ALUMINUM
 SIDE MTD.


SIGN SUPPORT NO. N/A

LOCATION : N/A

PROJECT NO. N/A

ENGINEER C.B. DESIGNED BY : G.M.F. CHECKED BY _____

1:20



Ground Mounted


REV'D /

[illegible]

FILE : 31-1716

[illegible]

1:30



Ground Mounted

REV'D /


SIGN NUMBER	31-1717
PANEL SIZE	5'-6" x 4'-0"
SIGN AREA	22.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE : 31-1717

[illegible]

1:35



Ground Mounted

REV'D /


SIGN NUMBER	311719
PANEL SIZE	5'-0" x 6'-6"
SIGN AREA	32.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow / White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
Bicycle	0	32.5	4.9	9.3	5.4
Pedestrain	0	20.6	3.5	4.3	8.2
Future	0	4.6	3.1	9	9
Future	0	46.6	3.1	9	9

Jan 25, 2018

[illegible]

1:35



Ground Mounted

REV'D /

SIGN NUMBER	31-1720
PANEL SIZE	5'-0" x 7'-6"
SIGN AREA	37.5 Sq.Ft.
MUTCD	R5-10a (CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White / Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT
Bicycle	0	32.5	4.6	9.3	5.4
Pedestrain	0	20.6	3.3	4.3	8.2
Future	0	4.6	3.1	9	9
Future	0	46.6	3.1	9	9

FILE : 31-1720

Dec 2, 2019

[illegible]


1:35

[illegible]

Aug 03, 2017

[illegible]

1:20



Ground Mounted

REV'D 8/17

Revised to match MUTCD.

SIGN NUMBER	31-1726
PANEL SIZE	3'-0" x 4'-0"
SIGN AREA	12.0 Sq.Ft.
MUTCD	R5-4
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


[illegible]

FILE : 31-1726

Aug 03, 2017

[illegible]

1:12



Ground Mounted

REV'D /


SIGN NUMBER	31-1727
PANEL SIZE	2'-0" x 2'-0"
SIGN AREA	4.0 Sq.Ft.
MUTCD	R5-3
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 03, 2017

[illegible]

SIGN DETAIL



SIGN NUMBER	31-1731
SIGN PANEL	9.0
EXIT CROWN	--
TOTAL (Sq.ft.)	9.0
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
SYMBOL/BORDER	TYPE: *
	COLOR: Black/Black
CIRCLE/DIAGONAL	TYPE: *
	COLOR: Red/Red


* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D /

SYMBOLS AND BARS ARE SOLID
 DIMENSIONS ARE IN INCHES
 MATERIAL : 0.080 THK.SHEET ALUMINUM
 SIDE MOUNTED
 SIGN SUPPORT NO. N/A
 LOCATION :N/A
 ENGINEER : DV DESIGNED BY : GMF CHECKED BY : _____

A	B	C	D	E	F	G	H	J	K
36	.625	.875	15.75	12.75	9.75	10.25	2	2.25	3

SIGN DETAIL



SIGN NUMBER	311732
SIGN PANEL	2'-6" x 2'-6"
TOTAL (Sq.ft.)	6.25
MUTCD	R5-2
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: White
TRUCK/BORDER/ CIRCLE	TYPE: *
	COLOR: Black/Black/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D /

PLOTTED : 1/26/2018

Dimensions are in inches.
Material : .080 Thk. Sheet Aluminum
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

A	B	C	D	E	F	G	H	J	K
30	.5	.75	13.125	10.625	8.125	8.5	1.625	1.875	2.5

1:35



- Equal Spacing

Variable Exit No.

Material : .100 Thick Sheet Aluminum

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted

REV'D 3/18

Revised legend and sign size.

SIGN NUMBER	31-17470
PANEL SIZE	4'-6" x 4'-6"
SIGN AREA	20.3 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


[illegible]

FILE : 31-1747

Aug 04, 2017

[illegible]

SIGN DETAIL
1:35



SIGN NUMBER	31-1748
PANEL SIZE	5'-0" x 5'-0"
SIGN AREA	25.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.63" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT


FILE : 31-1747 Aug 04, 2017

LETTER POSITIONS (X)																				LENGTH	SERIES/SIZE
	N	O																			E 2000
22.5	8.3	6.7	22.5																	15	8
	C	R	O	S	S	I	N	G													E 2000
8.2	6.2	5.9	6.1	5.7	6.1	2.6	6.2	4.9	8.1											43.7	6
	T	O																			E 2000
25.7	4.5	4.2	25.7																	8.7	5
	E	X	I	T		O	O														E 2000
14	5.3	6.4	2.1	4.5	6	6.2	5	10.4												35.6	6
	O	R		E	X	I	T		O	O											E 2000
3.9	6.4	4.9	6	5.3	6.4	2.1	4.5	6	6.2	5	3.2									52.9	6

REV'D /

Equal Spacing
Variable Legend
Dimension are in Inches
Material : .100 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

1:15



Ground Mounted

REV'D /


SIGN NUMBER	31-1749
PANEL SIZE	2'-0" x 2'-6"
SIGN AREA	5.0 Sq.Ft.
MUTCD	R5-2a(CT)
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jun 27, 2018

[illegible]

1:12



Revised legend from 6"D to 4"D and sign size to 42" x 18".

	SYMBOL	ROT	X	Y	WID	HT
d						

Apr 30, 2018

[illegible]

1:15



Ground Mounted

REV'D /

SIGN NUMBER	31-1752
PANEL SIZE	3'-6" x 2'-0"
SIGN AREA	7.0 Sq.Ft.
MUTCD	R5-2a (CT)
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


[illegible]

Apr 30, 2018

[illegible]

1:17

Ⓥ Variable legend "RIGHT TURN" or "LEFT TURN"



Ground Mounted

REV'D 4/18

Revised legend from 3"C to 4"C and
sign size to 36" x 24".


SIGN NUMBER	31-1756 L or R
PANEL SIZE	3'-0" x 2'-0"
SIGN AREA	6.0 Sq.Ft.
MUTCD	R5-2a (CT)
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

	SYMBOL	ROT	X	Y	WID	HT
d						

Apr 30, 2018

[illegible]

1:35



REV'D /

SIGN NUMBER	311758
PANEL SIZE	6'-6" x 5'-6"
SIGN AREA	35.8 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE : 311758

Aug 24, 2017


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:17



Ground Mounted

Revised legend from 6"D to 4"D and sign size to 48" x 30".
--


SIGN NUMBER	311759
PANEL SIZE	4'-0" x 2'-6"
SIGN AREA	10.0 Sq.Ft.
MUTCD	R5-2a (CT)
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

	SYMBOL	ROT	X	Y	WID	HT
d						

Apr 30, 2018

[illegible]

1:35



DATE CREATED : 11/14/11
DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : MAC DESIGNED BY : GMF C

SIGN NUMBER	31-1765
SIGN PANEL	25.0
EXIT CROWN	--
TOTAL (Sq.ft.)	25.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

REV'D /11

[illegible]

1:35


Diagram of a rectangular traffic sign with the following dimensions and text:

- Overall Dimensions:** 6'-0" (height) x 5'-0" (width).
- Text:** TRUCKS
BUSES
TRAILERS
BEGIN
USE RIGHT
LANE ONLY
- Internal Dimensions:**
 - Top margin: 6.8"
 - Between lines: 6"D, 4.5", 6"D, 4.5", 6"D, 4.5", 6"D, 4.5", 6"D
 - Bottom margin: 6.8"
 - Left margin: 7.2"
 - Right margin: 7.2"
 - Text area width: 45.7"

REV'D /11

[illegible][illegible]

1:35




REV'D /11

[illegible]

LETTER POSITIONS (X)

[illegible]

1:35

[illegible]

REV'D /11

[illegible]

SIGN DETAIL



A	B	C	D	E	F	G	H	J
24	.375	.625	4.5	7.5	8.5	10.5	2	1.5

SIGN NUMBER	31-1769
PANEL SIZE	2'-0" x 2'-0"
SIGN AREA	4.0 Sq.Ft.
MUTCD	R9-3
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
SYMBOL/BORDER/CIRCLE	TYPE: *
	COLOR: Black/Black/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

Dimensions are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

SIGN DETAIL




A	B	C	D	E	F	G	H	J
30	.5	.75	5.75	9.25	10.625	13.063	2.5	1.875

SIGN NUMBER	31-1770
PANEL SIZE	2'-6" x 2'-6"
SIGN AREA	6.25 Sq.Ft.
MUTCD	R9-3
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: White
SYMBOL/BORDER/CIRCLE	TYPE: *
	COLOR: Black/Black/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

Dimensions are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : A. Mermelstein / Designed By: J. Fascione / Checked By: _____
Ground Mounted

1:15



Ground Mounted

REV'D /


SIGN NUMBER	311771
PANEL SIZE	2'-6" x 2'-0"
SIGN AREA	5.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 25, 2017

[illegible]

1:15



Ground Mounted

REV'D /


SIGN NUMBER	311772
PANEL SIZE	2'-6" x 2'-0"
SIGN AREA	5.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 25, 2017

[illegible]

1:15



Ground Mounted

REV'D /


SIGN NUMBER	31-1773
PANEL SIZE	4'-0" x 2'-0"
SIGN AREA	8.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Nov 30, 2018

[illegible]

1:10



SYMBOL	ROT	X	Y	WID	HT

PLOTTED : 12/13/2013

[illegible]

1:20



ENGINEER : TLF DESIGNED BY : JMF CHECKED BY : _____

R5-10a
(Modified)

REV'D /


SIGN NUMBER	31-1775
SIGN PANEL	9.0
EXIT CROWN	--
TOTAL (Sq.ft.)	9.0
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

PLOTTED : 12/13/13

[illegible]

1:12



Revised legend and sign size to match MUTCD R5-11.

[illegible]

Sep 21, 2018

[illegible]

1:18



Ground Mounted

REV'D 9/18

Revised legend and sign size to match MUTCD R5-11.

SIGN NUMBER	31-1792
PANEL SIZE	4'-0" x 3'-0"
SIGN AREA	12.0 Sq.Ft.
MUTCD	R5-11
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


[illegible]

FILE : 31-1792

Sep 21, 2018

[illegible]

1:10



Ground Mounted

SYMBOL	ROT	X	Y	WID	HT

FILE :TR_MSH_SIN_31_1795.dgn

1:8

Diagram of a "Yield to Pedestrians" sign. The sign is rectangular with rounded corners, featuring a black border. Inside the border, there is a black silhouette of a bicycle at the top. Below the bicycle, the text "YIELD TO PEDS" is written in bold, black, sans-serif capital letters. The dimensions of the sign are indicated by arrows and text:

- Overall width: 1'-0"
- Overall height: 1'-6"
- Top section height (bicycle): 1.5"
- Text section height: 5.2"
- Bottom section height: 1.3"
- Text "YIELD" height: 2"
- Text "TO" height: 1"
- Text "PEDS" height: 2"
- Text "YIELD" width: 1.5"
- Text "TO" width: 9"
- Text "PEDS" width: 1.5"

Ground Mounted

REV'D /


SIGN NUMBER	31-1796
PANEL SIZE	1'-0" x 1'-6"
TOTAL (Sq.ft.)	1.5 Sq.Ft.
DATE	Dec 24, 2014
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
Bicycle	0	1.5	11.3	9	5.2

FILE :TR_MSH_SIN_31_1796.dgn

[illegible]

SIGN DETAIL



SIGN NUMBER	31-1797
SIGN PANEL	1.5
EXIT CROWN	--
TOTAL (Sq.ft.)	1.5
BDR INSET/WIDTH	0.375" / 0.375"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 7/8/2014

DIMENSIONS ARE IN INCHES
 MATERIAL : .080 THK.SHEET ALUMINUM
 SIDE MOUNTED
 SIGN SUPPORT NO. N/A
 LOCATION :N/A
 ENGINEER : MAC DESIGNED BY : JMF CHECKED BY : MWL

R9-5
 BICYCLISTS USE PEDESTRIAN SIGNAL

SIGN DETAIL




R5-1b
BICYCLE WRONG WAY

SIGN NUMBER	31-1798
SIGN PANEL	1.5
EXIT CROWN	--
TOTAL (Sq.ft.)	1.5
BDR INSET/WIDTH	0.375" / 0.375"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Red
LEGEND/BORDER	TYPE: *
	COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 7/1/2014

DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : MAC DESIGNED BY : JMF CHECKED BY : PJC

SIGN DETAIL



R9-3c


RIDE WITH TRAFFIC

SIGN NUMBER	31-1799
SIGN PANEL	1.5
EXIT CROWN	--
TOTAL (Sq.ft.)	1.5
BDR INSET/WIDTH	0.375" / 0.438"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 7/1/2014

DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : MAC DESIGNED BY : JMF CHECKED BY : PJC

1:12



REV'D /

[illegible]


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:25



Ground Mounted

REV'D /


SIGN NUMBER	31-1906
PANEL SIZE	4'-0" x 3'-6"
SIGN AREA	14.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 08, 2017

[illegible]

1:30



Ground Mounted

REV'D /

SIGN NUMBER	311907
PANEL SIZE	5'-0" x 4'-6"
SIGN AREA	22.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 30, 2017

[illegible]

1:15



Ground Mounted

REV'D /


SIGN NUMBER	311910
PANEL SIZE	4'-0" x 2'-0"
SIGN AREA	8.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 30, 2017

[illegible]

1:15



Ground Mounted

REV'D /


SIGN NUMBER	311911
PANEL SIZE	4'-0" x 2'-0"
SIGN AREA	8.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 30, 2017

[illegible]

1:12




REV'D /

[illegible]

Aug 30, 2017

[illegible]

SIGN DETAIL



SIGN NUMBER	387-31-1913	
SIGN PANEL	10.5	
EXIT CROWN	--	
TOTAL (Sq.Ft)	10.5	
BORDER WIDTH	0.5"/0.75"	
CORNER RADIUS	2"	
BACKGROUND	TYPE:	I
	COLOR:	White
LEGEND/BORDER	TYPE:	Plain
	COLOR:	Black

[illegible]

PLOTTED 12/05/05

DIMENSIONS ARE IN INCHES

MATERIAL - .080 THK. SHEET ALUMINU

SIDE MTD.

SIGN SUPPORT NO. N/A

ENGINEER M.F.M. DESIGNED BY : G.M.F. CHECKED BY _____


REV'D 10

[illegible]

1:35

[illegible]

1:15





REV'D /

[illegible]

Aug 30, 2017

[illegible]

1:10



(V) Variable Arrow Left, Right or Double

Ground Mounted


REV'D /

SIGN NUMBER	311916
PANEL SIZE	1'-0" x 1'-6"
SIGN AREA	1.5 Sq.Ft.
MUTCD	R7-4
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	4	1.5	2	3.8

Aug 30, 2017

[illegible]




ENGINEER K.A.L. DESIGNED BY : M.J.C. CHECKED BY DMF

REVISÉD SHEETING TYPE.

SIGN NUMBER	387-31-1917
SIGN PANEL	35.0
EXIT CROWN	--
TOTAL (Sq.Ft)	35.0
BORDER WIDTH	0.75"/1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: III
	COLOR: White/Yellow
LEGEND/BORDER	TYPE: III
	COLOR: Black/Black

[illegible][illegible]

1:30



Ground Mounted

REV'D /

SIGN NUMBER	31-1918
PANEL SIZE	4'-0" x 5'-0"
SIGN AREA	20.0 Sq.Ft.
MUTCD	R11-1
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]


Dec 10, 2019

[illegible]

1:35

* REFER TO CATALOG OF SIGNS
FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE
IS "PLAIN".

311920		Aug 31, 2017	
SIGN NUMBER	311920		
PANEL SIZE	10'-0" x 5'-0"		
SIGN AREA	50.0 Sq.Ft.		
MUTCD			
BDR INSET / WIDTH	0.63" / 1.25"		
CORNER RADIUS	7"		
BACKGROUND	TYPE:	*	
	COLOR:	White	
LEGEND/BORDER	TYPE:	*	
	COLOR:	Black/Black	

[illegible]

Dimensions are in Inches
Material : .125 Thk. Sheet Aluminum
Engineer : B. Schilling / Designed By : J. Fascione / Checked By : _____
Ground Mounted

[illegible]

1:7



Ground Mounted

REV'D 10/12

Revised Layout and sign size.


SIGN NUMBER	31-1922
PANEL SIZE	1'-6" x 1'-0"
SIGN AREA	1.5 Sq.Ft.
MUTCD	R- (CT)
BDR INSET/WIDTH	0.38" / 0.44"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White / Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Oct 13, 2018

[illegible]

1:17




REV'D /

SYMBOL	ROT	X	Y	WID	HT
ARDOWN	180	14	19.7	11.7	8.1

Oct 13, 2018

[illegible]

1:30



BACKGROUND : YELLOW TYPE III
LEGEND/BORDER BLACK PLAIN


REV'D 10/09

REVISED LEGEND, SIGN COLOR & SIGN NO. (WAS 51-5941)
--

SIGN NUMBER	31_1924
SIGN PANEL	28.0
EXIT CROWN	--
TOTAL (Sq.ft.)	28.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: See Sign
	COLOR: See Sign
LEGEND/BORDER	TYPE: See Sign
	COLOR: See Sign

[illegible][illegible]

1:15




REV'D /

[illegible]

Aug 03, 2017

[illegible]

1:40




REV'D 10/09

REVISED SIGN COLORS

[illegible][illegible]

1:7



DIMENSIONS ARE IN INCHES
MATERIAL - .080 THK.SHEET ALUMI
SIDE MTD.
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER: GMF DESIGNED BY : RS


SIGN NUMBER	31-1927
SIGN PANEL	1.5 Sq.Ft.
EXIT CROWN	
TOTAL (Sq.ft.)	
BORDER WIDTH	3/8" / 3/8"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: III
	COLOR: White
LEGEND/BORDER	TYPE: Plain
	COLOR: Black/Black

[illegible]

REV'D 8/04

[illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	311929
PANEL SIZE	2'-6" x 1'-0"
SIGN AREA	2.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.44"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 31, 2017

[illegible]

1:20




SYMBOL	ROT	X	Y	WID	HT
DEEP Logo	0	5.8	2.9	6	6.1
CAES Logo	0	29.8	3.1	6	6

PLOTTED : 10/15/18

[illegible]

1:35




SYMBOL	ROT	X	Y	WID	HT
DEEP Logo	0	9	6	12	12
CAES logo	0	56.9	6	12	12

PLOTTED : 10/15/18

[illegible]

1:20

⑤ = NUMERALS ARE VARIABLE



Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
	0	3.5	25.3	3.6	3.6
	0	42	25.3	3.6	3.6

FILE :31-1934

[illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	31-1935
PANEL SIZE	2'-0" x 1'-6"
SIGN AREA	3.0 Sq.Ft.
MUTCD	R- (CT)
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Oct 15, 2018

[illegible]

1:15




REV'D /

[illegible]

Aug 31, 2017

[illegible]

1:15



Ground Mounted

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	135	5.9	2.8	6.9	15.2

Aug 31, 2017

[illegible]

1:20

Diagram of a rectangular traffic sign with the following dimensions and text:

- Overall width: 3'-0"
- Overall height: 3'-0"
- Text: ALL COMMERCIAL VEHICLES
- Arrow: A large black arrow pointing right.
- Dimensions of the sign face (excluding border): 27.6" wide by 27.6" high.
- Dimensions of the border: 4.2" on the left and right sides, and 4.2" on the top and bottom sides.

Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
311510	270	12	4	7	12

Aug 08, 2017

[illegible]

1:20

Diagram of a rectangular traffic sign with the following dimensions and text:

- Overall Dimensions:** 3'-0" wide by 3'-0" high.
- Text:** COMMERCIAL
VEHICLE
INSPECTION
AHEAD
- Internal Dimensions:** The sign is divided into sections with widths of 4.2", 27.6", and 4.2" horizontally, and 4" sections vertically.

Ground Mounted

REV'D /

[illegible]

Aug 08, 2017

[illegible]

1:20

Diagram of a rectangular traffic sign with the following dimensions and text:

- Overall width: 3'-0"
- Overall height: 3'-0"
- Sign face width: 27.6"
- Sign face height: 28"
- Top border: 4"
- Bottom border: 4"
- Left border: 4.2"
- Right border: 4.2"
- Text: ALL COMMERCIAL VEHICLES STOP AHEAD

Ground Mounted

REV'D /

[illegible]

Aug 08, 2017

[illegible]

1:25

Diagram of a rectangular sign with a black border and white background. The sign contains the text "COMMERCIAL VEHICLE INSPECTION NEXT RIGHT" in bold, black, sans-serif capital letters, arranged in four lines. The dimensions are as follows:

- Overall width: 4'-0"
- Overall height: 4'-0"
- Text area width: 41.3"
- Text area height: 36"
- Left margin: 3.35"
- Right margin: 3.35"
- Top margin: 6"
- Bottom margin: 6"
- Line spacing (between lines of text): 6", 6", 4", 6", 4", 6", 4", 6"

Ground Mounted

REV'D /

SIGN NUMBER	31-1954
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 08, 2017

[illegible]

1:25

Diagram of a rectangular sign with rounded corners. The sign is white with a black border and contains the text "COMMERCIAL VEHICLE INSPECTION AHEAD" in bold, black, sans-serif capital letters. The dimensions are as follows:

- Overall width: 4'-0"
- Overall height: 4'-0"
- Text width: 41.3"
- Text height: 3.4"
- Left margin: 3.4"
- Right margin: 3.3"
- Top margin: 6"
- Bottom margin: 6"

Ground Mounted

REV'D /


SIGN NUMBER	31-1955
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 08, 2017

[illegible]

1:20



Ground Mounted

REV'D /


SIGN NUMBER	311956
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
ARDOWN	0	11.5	3	13	9

Aug 31, 2017

[illegible]

1:25



Ground Mounted

REV'D /


SIGN NUMBER	311958
PANEL SIZE	6'-0" x 3'-0"
SIGN AREA	18.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 05, 2017

[illegible]

1:10




REV'D /

[illegible]

Sep 11, 2017

[illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	311973
PANEL SIZE	1'-6" x 1'-6"
SIGN AREA	2.3 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 11, 2017

[illegible]

1:12



Ground Mounted

REV'D /


SIGN NUMBER	311976
PANEL SIZE	2'-6" x 1'-6"
SIGN AREA	3.8 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 12, 2017

[illegible]

1:12



Ground Mounted

REV'D /


SIGN NUMBER	311977
PANEL SIZE	2'-6" x 1'-6"
SIGN AREA	3.8 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 12, 2017

[illegible]


1:15

[illegible]

Sep 12, 2017

[illegible]

1:12



Ground Mounted

REV'D /


SIGN NUMBER	311986
PANEL SIZE	3'-0" x 1'-6"
SIGN AREA	4.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 12, 2017

[illegible]


Dimensions are in Inches
Material : .125 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted



SYMBOL	ROT	X	Y	WID	HT

[illegible]

1:15




REV'D /

[illegible]

8/22/2018

[illegible]

1:15




Revised sign to MUTCD R2-6aP.

[illegible]

Jul 02, 2018

[illegible]

SIGN DETAIL



DIMENSIONS ARE IN INCHES
 MATERIAL : .080 THK.SHEET ALUMINUM
 SIDE MOUNTED
 SIGN SUPPORT NO. N/A
 LOCATION :N/A
 ENGINEER : TLF DESIGNED BY : JMF CHECKED BY : _____

A	B	C	D	E	F	G	H	J	K	L
24	30	.375	.625	6	4C	3	4.023	8.566	5.143	1.5

SIGN NUMBER	31-2103
SIGN PANEL	4.0
EXIT CROWN	--
TOTAL (Sq.ft.)	4.0
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 7/12
REVISED BACKGROUND COLOR

PLOTTED : 7/19/2012

SIGN DETAIL



SIGN NUMBER	31-2105
SIGN PANEL	12.0
EXIT CROWN	--
TOTAL (Sq.ft.)	12.0
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D /

PLOTTED : 8/9/2013

A	B	C	D	E	F	G	H	J	K	L
36	48	.625	.875	10	6C	5	6.044	12.849	8.326	2.25

DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : AM DESIGNED BY : JMF CHECKED BY : _____

1:10




Ground Mounted

[illegible]

Oct 09, 2018

[illegible]

1:20




REV'D /

[illegible]

Sep 12, 2017

[illegible]

1:25



Ground Mounted

SIGN NUMBER	31-2211
PANEL SIZE	See Sign
TOTAL (Sq.ft.)	6.0 Sq.Ft.
DATE	May 09, 2017
BDR INSET/WIDTH	0" / 0"
CORNER RADIUS	0"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND	TYPE: *
	COLOR: Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

REV'D /

FILE :TR_MSH_SIN_31_2211.dgn


1:25



Ground Mounted

FILE :TR_MSH_SIN_31_2212.dgn

1:7



Ground Mounted

R15-3

REV'D /

SIGN NUMBER	31-2213
PANEL SIZE	2'-0" x 1'-0"
TOTAL (Sq.ft.)	2.0 Sq.Ft.
DATE	May 09, 2017
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_31_2213.dgn

[illegible]

1:25

6'-0"

0'-4"

Ground Mounted

REV'D /

SIGN NUMBER	31-2214
PANEL SIZE	0'-4" x 6'-0"
TOTAL (Sq.ft.)	2.0 Sq.Ft.
DATE	May 09, 2017
BDR INSET/WIDTH	0" / 0"
CORNER RADIUS	0"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: N/A
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE :TR_MSH_SIN_31_2214.dgn

[illegible]

1:15

0'-4"

3'-0"

Ground Mounted


REV'D /

[illegible]

Feb 28, 2019

[illegible]

1:20

[illegible]

Nov 29, 2019

LETTER POSITIONS (X)

SERIES/SIZE

[illegible]

1:25

Side elevation drawing of a rectangular structure. The height is labeled as 6'-0" and the width is labeled as 0'-4".

REV'D /

SIGN NUMBER	31-5004
SIGN PANEL	2.0
EXIT CROWN	
TOTAL (Sq.ft.)	2.0
BDR INSET/WIDTH	0" / 0"
CORNER RADIUS	0"
BACKGROUND	TYPE: IV
	COLOR: Red
LEGEND/BORDER	TYPE: *
	COLOR: N/A
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

PLOTTED : 8/6/2013

[illegible]

1:35

A diagram of a rectangular plate. The vertical dimension is labeled 8'-0" and the horizontal dimension is labeled 0'-4".

DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : CB DESIGNED BY : JMF CHE

REV'D /


SIGN NUMBER	31-5005
SIGN PANEL	2.66
EXIT CROWN	
TOTAL (Sq.ft.)	2.66
BDR INSET/WIDTH	0" / 0"
CORNER RADIUS	0"
BACKGROUND IV	TYPE: IV COLOR: Red
LEGEND/BORDER	TYPE: * COLOR: N/A
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

PLOTTED : 8/6/2013

[illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	315470
PANEL SIZE	1'-0" x 1'-6"
SIGN AREA	1.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0" / 0.5"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Green
LEGEND/BORDER	TYPE: *
	COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 12, 2017

[illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	315472
PANEL SIZE	1'-0" x 1'-6"
SIGN AREA	1.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0" / 0.5"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Green
LEGEND/BORDER	TYPE: *
	COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 12, 2017

[illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	315473
PANEL SIZE	1'-0" x 1'-6"
SIGN AREA	1.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0" / 0.5"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Green
LEGEND/BORDER	TYPE: *
	COLOR: White/White
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 12, 2017

[illegible]

1:10




* REFER TO CATALOG OF SIGNS
FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE
IS "PLAIN".

315475		Sep 12, 2017	
SIGN NUMBER	315475		
PANEL SIZE	3'-6" x 2'-6"		
SIGN AREA	8.8 Sq.Ft.		
MUTCD			
BDR INSET / WIDTH	0.5" / 0.75"		
CORNER RADIUS	1.88"		
BACKGROUND	TYPE:	*	
	COLOR:	White	
LEGEND/BORDER	TYPE:	*	
	COLOR:	Black/Black	

[illegible]

LETTER POSITIONS (X)																																	LENGTH		SERIES/SIZE					
	N	O		T	R	E	S	P	A	S	S	I	N	G																					D 2000					
4.4	2.7	2.1	3	2.3	2.6	2.2	2.5	2.2	2.8	2.3	2.5	1.2	2.7	2	4.4																				33.2	3				
	S	T	A	T	E		P	R	O	P	E	R	T	Y																						C 2000				
11.4	1.3	1.1	1.4	1.3	1	2	1.5	1.4	1.6	1.5	1.4	1.3	1.1	1.3	11.4																					19.3	2			
	P	O	L	I	C	E		T	A	K	E		N	O	T	I	C	E																		C 2000				
8.9	1.5	1.6	1.3	0.7	1.5	1	2	1.1	1.6	1.5	1	2	1.5	1.4	1.3	0.7	1.5	1	8.9																	24.2	2			
	V	I	O	L	A	T	O	R	S		W	I	L	L		B	E		S	U	B	J	E	C	T		T	O												
10.3	0.6	0.3	0.6	0.5	0.6	0.5	0.6	0.5	0.4	0.7	0.7	0.3	0.5	0.4	0.7	0.6	0.4	0.7	0.6	0.6	0.5	0.6	0.5	0.4	0.7	0.5	0.5	0.7												
																								P	R	O	S	E	C	U	T	I	O	N				C 2000		
																								0.6	0.6	0.6	0.6	0.5	0.6	0.5	0.5	0.3	0.6	0.4	10.3			21.5	0.75	
	U	N	D	E	R		T	I	T	L	E		5	3	a		C	H	A	P	T	E	R		9	5	2		C	.	G	.	S	.						
10.3	0.6	0.6	0.6	0.5	0.4	0.6	0.5	0.2	0.5	0.5	0.4	0.6	0.5	0.5	0.4	0.6	0.6	0.5	0.6	0.5	0.5	0.4	0.6	0.5	0.5	0.4	0.6	0.5	0.2	0.5	0.2	0.5	0.1	0.6						
																									A	S		R	E	V	I	S	E	D					C 2000	
																									0.6	0.4	0.6	0.5	0.5	0.6	0.2	0.5	0.5	0.4	10.3			21.5	0.75	
	V	E	H	I	C	L	E	S		W	I	L	L		B	E		T	A	G	G	E	D		&														C 2000	
7.7	1.1	1	1.2	0.5	1.1	1	0.9	0.8	1.5	1.4	0.5	1	0.8	1.5	1.1	0.8	1.5	0.9	1.1	1.1	1.1	1	0.8	1.5	1.3	7.7												26.6	1.5	
	T	O	W	E	D		A	T		O	W	N	E	R	S		E	X	P	E	N	S	E																C 2000	
8.4	0.9	1.1	1.3	1	0.8	1.5	1	0.8	1.5	1.1	1.3	1.2	1	1	0.8	1.5	0.9	1.1	1.1	1	1.1	1.1	0.8	8.4														25.1	1.5	
	C	O	M	M	I	S	S	I	O	N	E	R		O	F		T	R	A	N	S	P	O	R	T	A	T	I	O	N									C 2000	
13.2	0.6	0.6	0.7	0.7	0.2	0.5	0.5	0.3	0.6	0.6	0.5	0.4	0.7	0.6	0.4	0.8	0.5	0.5	0.6	0.5	0.5	0.6	0.6	0.5	0.4	0.5	0.5	0.3	0.6	0.4	13.2								15.6	0.8

1:12



Ground Mounted

REV'D /


SIGN NUMBER	315476
PANEL SIZE	2'-6" x 1'-6"
SIGN AREA	3.8 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 13, 2017

[illegible]

SIGN DETAIL
1:12



SIGN NUMBER	315477
PANEL SIZE	1'-0" x 1'-6"
SIGN AREA	1.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: * COLOR: White
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

FILE : 315477 Sep 13, 2017


(E) EQUAL SPACING
(V) VARIABLE LEGEND
Dimensions are in Inches
Material : .080 Thick Sheet Aluminum
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

REV'D /

LETTER POSITIONS (X)																				LENGTH	SERIES/SIZE
	N	O																			C 2000
4.7	1.5	1.2	4.6																	2.7	2
	F	I	S	H	I	N	G														B 2000
3.4	0.8	0.4	0.9	1	0.5	0.9	0.6	3.4												5.2	1.5
	N	O																			C 2000
4.7	1.5	1.2	4.6																	2.7	2
	T	R	E	S	P	A	S	S	I	N	G										B 2000
1.7	0.8	0.9	0.7	0.9	0.7	0.9	0.8	0.9	0.5	0.9	0.6	1.6								8.7	1.5
	S	T	R	I	C	T	L	Y		E	N	F	O	R	C	E	D				B 2000
1.3	0.5	0.5	0.6	0.3	0.5	0.5	0.4	0.5	1	0.5	0.6	0.5	0.6	0.5	0.6	0.5	0.4	1.4		9.3	1
	S	T	A	T	E		P	R	O	P	E	R	T	Y							B 2000
2.1	0.5	0.4	0.6	0.5	0.4	1	0.6	0.5	0.6	0.6	0.5	0.5	0.4	0.5	2.2					7.7	1
	C	O	M	M	.		O	F		T	R	A	N	S							B 2000
2.9	0.4	0.5	0.5	0.5	0.1	0.6	0.5	0.3	0.6	0.4	0.4	0.5	0.4	0.3	3					6.1	0.8

1:15

* REFER TO CATALOG OF SIGNS
FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE
IS "PLAIN".



Logo- Color Black
Type Plain
6.5" Diameter

315478		Sep 13, 2017
SIGN NUMBER	315478	
PANEL SIZE	2'-6" x 2'-6"	
SIGN AREA	6.3 Sq.Ft.	
MUTCD		
BDR INSET / WIDTH	0.5" / 0.75"	
CORNER RADIUS	1.88"	
BACKGROUND	TYPE: *	
	COLOR: White	
LEGEND/BORDER	TYPE: *	
	COLOR: Black/Black	


SYMBOL	ROT	X	Y	WID	HT
CTDOT LOGO	0	11.2	12.45	6.5	6.5

Site # (LEGEND VARIABLE)
Project # (LEGEND VARIABLE)

Dimensions are in Inches
Material : .040 Thk. Sheet Aluminum
Engineer : B. Schilling / Designed By : J. Fascione / Checked By : T.L.F.
Ground Mounted

[illegible]

1:17



DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION : N/A
ENGINEER : SPC DESIGNED BY : GMF CH


REV'D /

SIGN NUMBER	31_5504
SIGN PANEL	7.5
EXIT CROWN	--
TOTAL (Sq.ft.)	7.5
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT

[illegible]

1:15



⑤ Variable Number

Ground Mounted

REV'D /

[illegible]

Sep 13, 2017

[illegible]

SIGN DETAIL



R2-1
SPEED LIMIT (ENGLISH)

SIGN NUMBER	31-5506
SIGN PANEL	12.0
EXIT CROWN	--
TOTAL (Sq.ft.)	12.0
BDR INSET/WIDTH	0.625"/0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D 8/12
REVISED TO MATCH MUTCD.

PLOTTED : 8/28/2012

DIMENSIONS ARE IN INCHES
MATERIAL : .080 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : TLF DESIGNED BY : JMF CHECKED BY : _____

A	B	C	D	E	F	G	H	J	K	L
36	48	.625	.875	6	6E	5	14E	14.375	11	2.25

SIGN DETAIL



R2-1
SPEED LIMIT (ENGLISH)

SIGN NUMBER	31-5507
SIGN PANEL	20.0
EXIT CROWN	--
TOTAL (Sq.ft.)	20.0
BDR INSET/WIDTH	0.75"/1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D 8/12
REVISED TO MATCH MUTCD.

PLOTTED : 8/28/2012

DIMENSIONS ARE IN INCHES
MATERIAL : .100 THK.SHEET ALUMINUM
SIDE MOUNTED
SIGN SUPPORT NO. N/A
LOCATION :N/A
ENGINEER : TLF DESIGNED BY : JMF CHECKED BY : _____

A	B	C	D	E	F	G	H	J	K	L
48	60	.75	1.25	8	8E	6	16E	19.125	14.625	3

1:35




Ground Mounted

REV'D /

[illegible]

Jul 11, 2018

[illegible]




CHANGED WHITE TYPE I TO TYPE III.

ENGINEER J.P.O. DESIGNED BY : M.J.C. CHECKED BY _____

SIGN NUMBER	31-5517	
SIGN PANEL	3.0	
EXIT CROWN	--	
TOTAL (Sq.Ft)	3.0	
BORDER WIDTH	0.375"	0.625"
CORNER RADIUS	1.5"	
BACKGROUND	TYPE:	III
	COLOR:	White
LEGEND/BORDER	TYPE:	Plain
	COLOR:	Black

[illegible][illegible]

1:25



Ⓔ Equal Spacing

(V) Variable Number

Dimensions are in Inches

Material : .100 Thick Sheet Aluminum

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted

REV'D /

SIGN NUMBER	315521
PANEL SIZE	3'-0" x 5'-0"
SIGN AREA	15.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


[illegible]

FILE : 315521

Sep 13, 2017

[illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	315522
PANEL SIZE	2'-0" x 0'-10"
SIGN AREA	1.7 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.44"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 13, 2017

[illegible]

1:30



Ground Mounted

REV'D /


SIGN NUMBER	31-5533
PANEL SIZE	5'-0" x 5'-0"
SIGN AREA	25.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 03, 2017

[illegible]

1:25



Ground Mounted

REV'D /


SIGN NUMBER	31-5541
PANEL SIZE	2'-0" x 4'-0"
TOTAL (Sq.ft.)	8.0 Sq.Ft.
DATE	Jul 10, 2017
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Fluor Yel Grn/White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

FILE : \$FILES\$

[illegible]

1:30



REV'D /

SYMBOL	ROT	X	Y	WID	HT
			White/Fluor Yel Grn		

LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:10



Ground Mounted

REV'D /

SIGN NUMBER	316001
PANEL SIZE	1'-6" x 2'-0"
SIGN AREA	3.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 13, 2017

[illegible]

1:12



Ground Mounted

REV'D /


SIGN NUMBER	316002
PANEL SIZE	3'-0" x 1'-6"
SIGN AREA	4.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 13, 2017

[illegible]

1:20



⑤ Variable Arrow, Left, Right or Double

Ground Mounted

REV'D 9/17

Rev'd legend. added variable arrows.
Changed Legend/Border/Arw to Red.


SIGN NUMBER	31-6003
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Red/Red
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	10.4	3.2	6.9	15.2

Sep 14, 2017

[illegible]

1:15



* REFER TO CATALOG OF SIGNS
FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE
IS "PLAIN".

316004		Sep 14, 2017
SIGN NUMBER	316004	
PANEL SIZE	3'-0" x 3'-0"	
SIGN AREA	9.0 Sq.Ft.	
MUTCD		
BDR INSET / WIDTH	0.38" / 0.88"	
CORNER RADIUS	2.25"	
BACKGROUND	TYPE: *	
	COLOR: White	
LEGEND/BORDER	TYPE: *	
	COLOR: Black/Black	

[illegible][illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	31-6037
PANEL SIZE	3'-0" x 1'-6"
SIGN AREA	4.5 Sq.Ft.
MUTCD	R7- (CT)
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Oct 17, 2018

[illegible]

1:8




Revised to match MUTCD.

[illegible]

Jul 31, 2018

[illegible]

1:8




Revised to match MUTCD.

[illegible]

Jul 31, 2018

[illegible]

1:8




REV'D /

[illegible]

Aug 08, 2017

[illegible]

1:10




REV'D /

[illegible]

Oct 17, 2018

[illegible]

1:20



Ground Mounted

REV'D /

[illegible]

Sep 14, 2017

[illegible]

1:10



Ground Mounted

REV'D /

SIGN NUMBER	31-6920
PANEL SIZE	2'-6" x 1'-6"
SIGN AREA	3.8 Sq.Ft.
MUTCD	R- (CT)
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Oct 17, 2018

[illegible]

1:12




Ground Mounted

[illegible]

Oct 19, 2018

[illegible]

1:12




REV'D /

[illegible]

Oct 19, 2018

[illegible]

1:12

[illegible]

LETTER POSITIONS (X)	LENGTH	SERIES/SIZE
----------------------	--------	-------------

[illegible]

1:25



Ground Mounted

[illegible]

Oct 19, 2018

[illegible]