


80 SERIES



CONSTRUCTION,
MAINTENANCE &
INCIDENT
MANAGEMENT SIGNS

1:20




* REFER TO CATALOG OF SIGNS
FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE
IS "PLAIN".

80-1605		Jul 19, 2018	
SIGN NUMBER	80-1605		
PANEL SIZE	7'-0" x 5'-0"		
SIGN AREA	35.0 Sq.Ft.		
MUTCD			
BDR INSET / WIDTH	0.75" / 1.25"		
CORNER RADIUS	6"		
BACKGROUND	TYPE:	*	
	COLOR:	Orange	
LEGEND/BORDER	TYPE:	*	
	COLOR:	Black/Black	

[illegible]

1:15

[illegible]


80-1608		Jul 20, 2018	
SIGN NUMBER	80-1608		
PANEL SIZE	5'-0" x 3'-6"		
SIGN AREA	17.5 Sq.Ft.		
MUTCD			
BDR INSET / WIDTH	0.63" / 0.88"		
CORNER RADIUS	3"		
BACKGROUND	TYPE: *		
	COLOR: Orange		
LEGEND/BORDER	TYPE: *		
	COLOR: Black/Black		

[illegible]

1:8

[illegible]

1:10





* REFER TO CATALOG OF SIGNS
FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE
IS "PLAIN".

80-1619		Jul 20, 2018	
SIGN NUMBER	80-1619		
PANEL SIZE	4'-0" x 2'-6"		
SIGN AREA	10.0 Sq.Ft.		
MUTCD			
BDR INSET / WIDTH	0.5" / 0.75"		
CORNER RADIUS	2"		
BACKGROUND	TYPE:	*	
	COLOR:	Orange	
LEGEND/BORDER	TYPE:	*	
	COLOR:	Black/Black	

[illegible]

SIGN DETAIL



DIMENSIONS ARE IN INCHES
MATERIAL -
SIDE MTD.

SIGN SUPPORT NO. N/A

LOCATION : N/A

PROJECT NO. 92-619 ENGINEER D.M.F. DESIGNED BY : G.M.F. CHECKED BY

REV'D / 0

[illegible][illegible]

1:25



REV'D 1/


SIGN NUMBER	80-5902
SIGN PANEL	17.5
EXIT CROWN	
TOTAL (Sq.ft.)	17.5
BDR INSET/WIDTH	0" / 0"
CORNER RADIUS	0"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

PLOTTED : 5/3/2013

[illegible]

1:18



Ground Mounted

REV'D /

SIGN NUMBER	80-9001
PANEL SIZE	4'-0" x 2'-6"
SIGN AREA	10.0 Sq.Ft.
MUTCD	R11-2(CT)
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 28, 2018

[illegible]

1:8




REV'D /

[illegible]

8/14/2018

[illegible]

SIGN DETAIL



SIGN NUMBER	80-9050
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.ft.)	9.0
MUTCD	W3-1
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 7/20/2018

A	B	C	D	E	F	G	H	J	K	L	M	N
36	.625	.875	9	4.5	6	.75	.375	19	7.5	3.5	.625	2.25

Dimensions are in inches.


Material : Not Specified

Side Mounted

Location : N/A

Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

SIGN DETAIL



A	B	C	D	E	F	G	H	J	K	L	M	N
48	.75	1.25	12	6	8	1	.5	25.125	10	4.5	.75	3


SIGN NUMBER	80-9051
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W3-1
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 7/20/2018

Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

SIGN DETAIL



SIGN NUMBER	80-9052
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.ft.)	9.0
MUTCD	W3-3
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D /

PLOTTED : 7/21/2018

A	B	C	D	E	F	G	H
36	.625	.875	5.75	15.75	4.25	10	2.25

Dimensions are in inches.
Material : Not specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

SIGN DETAIL



SIGN NUMBER	80-9053
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W3-3
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D /

PLOTTED : 7/21/2018

A	B	C	D	E	F	G	H
48	.75	1.25	7.5	20	5	12.5	3

Dimensions are in inches.
Material : Not specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

SIGN DETAIL



SIGN NUMBER	80-9054
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.ft.)	9.0
MUTCD	W3-2
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 7/21/2018

A	B	C	D	E	F	G	H
36	.625	.875	9	4.5	6	.75	.375
J	K	L	M	N	P	Q	R
28	7.5	3.375	3.75	.625	1.375	.75	2.25


Dimensions are in inches.
Material : Not specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

SIGN DETAIL

SIGN NUMBER	80-9055
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W3-2
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /


PLOTTED : 7/21/2018



A	B	C	D	E	F	G	H
48	.75	1.25	12	6	8	1	.5
J	K	L	M	N	P	Q	R
38	10	4.5	5	.75	1.875	1	3

Dimensions are in inches.
Material : Not specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :


SIGN DETAIL



SIGN NUMBER	80-9056
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.ft.)	9.0
MUTCD	W24-1L
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

Date : 9/29/2018




ARROWHEAD DETAIL
N.T.S.

R	S	T	U	V
2.881	3.3125	5.843	.4375	.5625

A	B	C	D	E	F	G	H
36	.625	.875	1.921	.336	3.698	8.889	16.284
J	K	L	M	N	P	Q	
15.082	2.833	1.777	4.226	11.384	2.881	2.25	

Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :


SIGN DETAIL



SIGN NUMBER	80-9057
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W24-1L
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

Date : 9/29/2018




ARROWHEAD DETAIL
N.T.S.

R	S	T	U	V
3.841	4.3125	7.875	.5625	.75

A	B	C	D	E	F	G	H
48	.75	1.25	2.561	.448	4.931	11.848	21.712
J	K	L	M	N	P	Q	
20.11	3.777	2.369	5.635	15.179	3.841	3	

Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

1:23



Ground Mounted


Changed Background color from. Orange to White.
--

[illegible]

Sep 08, 2018

[illegible]


SIGN DETAIL



SIGN NUMBER	80-9059
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.ft.)	9.0
MUTCD	W24-1R
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

Date : 9/29/2018




ARROWHEAD DETAIL
N.T.S.

R	S	T	U	V
2.881	3.3125	5.843	.4375	.5625

A	B	C	D	E	F	G	H
36	.625	.875	1.921	.336	3.698	8.889	16.284
J	K	L	M	N	P	Q	
15.082	2.833	1.777	4.226	11.384	2.881	2.25	

Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :


SIGN DETAIL



SIGN NUMBER	80-9062
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W24-2R
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3.0"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

Date : 6/16/2020



ARROWHEAD DETAIL
N.T.S.

R	S	T	U	V
3.84	4.415	7.788	.5831	.7498

A	B	C	D	E	F	G	H
48	.75	1.25	6.23	9.245	4.925	11.82	9.853
J	K	L	M	N	P	Q	
4.926	12.572	2.368	5.633	15.196	3.84	3.0	

Dimensions are in inches.


Material : Not Specified

Side Mounted

Location : N/A

Engineer : B. Schilling / Designed By : J. Fascione / Checked By :


SIGN DETAIL



SIGN NUMBER	80-9063
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.ft.)	9.0
MUTCD	W24-2R
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

Date : 6/16/2020




ARROWHEAD DETAIL
N.T.S.

R	S	T	U	V
2.881	3.3125	5.843	.4375	.5625

A	B	C	D	E	F	G	H
36	.625	.875	4.675	6.936	3.698	8.868	7.392
J	K	L	M	N	P	Q	
3.696	9.432	1.777	4.226	11.4	2.881	2.25	

Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

SIGN DETAIL




A	B	C	D	E	F	G	H
48	.75	1.25	6.23	9.245	4.925	11.82	9.853
J	K	L	M	N	P	Q	
4.926	12.572	2.368	5.633	15.196	3.84	3.0	

SIGN NUMBER	80-9064
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W24-2L
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3.0"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

Date : 6/16/2020



ARROWHEAD DETAIL
N.T.S.

R	S	T	U	V
3.84	4.415	7.788	.5831	.7498

Dimensions are in inches.


Material : Not Specified

Side Mounted

Location : N/A

Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

SIGN DETAIL




A	B	C	D	E	F	G	H
36	.625	.875	4.675	6.936	3.698	8.868	7.392
J	K	L	M	N	P	Q	
3.696	9.432	1.777	4.226	11.4	2.881	2.25	

SIGN NUMBER	80-9065
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.ft.)	9.0
MUTCD	W24-2L
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

Date : 6/16/2020




ARROWHEAD DETAIL
N.T.S.

R	S	T	U	V
2.881	3.3125	5.843	.4375	.5625

Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :


SIGN DETAIL



SIGN NUMBER	80-9067
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W24-1L
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

Date : 9/29/2018



ARROWHEAD DETAIL
N.T.S.

R	S	T	U	V
3.841	4.3125	7.875	.5625	.75

A	B	C	D	E	F	G	H
48	.75	1.25	2.561	.448	4.931	11.848	21.712
J	K	L	M	N	P	Q	
20.11	3.777	2.369	5.635	15.179	3.841	3	

Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

1:18



Ground Mounted

REV'D /

SIGN NUMBER	80-9072
PANEL SIZE	4'-0" x 2'-6"
SIGN AREA	10.0 Sq.Ft.
MUTCD	R11-2(CT)
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 29, 2018

[illegible]

1:10

Diagram of a rectangular traffic sign with dimensions and text. The sign is white with a black border and contains the following text and graphics:

- Top text: **SIDEWALK CLOSED**
- Middle text: **AHEAD**
- Graphic: A large black arrow pointing left.
- Bottom text: **CROSS HERE**

The dimensions of the sign are as follows:

- Overall width: 2'-0"
- Overall height: 1'-6"
- Text "SIDEWALK CLOSED" height: 2.3"
- Space between "SIDEWALK CLOSED" and "AHEAD": 2"C
- Text "AHEAD" height: 1.5"
- Space between "AHEAD" and the arrow: 2"C
- Arrow height: 1"
- Space between the arrow and "CROSS HERE": 4"
- Text "CROSS HERE" height: 0.9"
- Space between "CROSS HERE" and the bottom border: 2"C
- Bottom border thickness: 2.3"
- Left margin: 2.05"
- Right margin: 2.05"
- Central text area width: 19.9"

A circular symbol with the letter "V" is located to the right of the sign, indicating a vertical dimension or orientation.

Ground Mounted

R9-11

REV'D 7/15

REVISED PANEL, ARROW & LETTER SIZE.

SIGN NUMBER	81-9074
PANEL SIZE	2'-0" x 1'-6"
TOTAL (Sq.ft.)	3.0 Sq.Ft.
MUTCD	R9-11
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2.3	5.2	4	19.5

FILE : 81-9074

[illegible]

1:10

Diagram of a rectangular sign with a black border. The sign contains the text "SIDEWALK CLOSED" at the top, a large black arrow pointing left in the center, and the text "CROSS HERE" at the bottom. A small circle with the letter "V" is located to the left of the arrow. Dimensions are indicated by arrows and text:

- Overall width: 2'-0"
- Overall height: 1'-0"
- Text "SIDEWALK CLOSED" height: 1.5"
- Space between text and arrow: 2"
- Arrow height: 0.5"
- Space between arrow and text "CROSS HERE": 4"
- Text "CROSS HERE" height: 0.5"
- Space between text and bottom border: 2"
- Bottom border height: 1.5"
- Left margin (from left border to "V"): 2.05"
- Text "CROSS HERE" width: 19.9"
- Right margin (from "CROSS HERE" to right border): 2.05"

Ground Mounted

SIGN NUMBER	80-9075
PANEL SIZE	2'-0" x 1'-0"
TOTAL (Sq.ft.)	2.0 Sq.Ft.
MUTCD	R9-11a
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	90	2	4	4	19.5

[illegible]

1:10



Ground Mounted

REV'D /


SIGN NUMBER	80-9076
PANEL SIZE	2'-6" x 1'-6"
SIGN AREA	3.8 Sq.Ft.
MUTCD	R9-9
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jul 21, 2018

[illegible]

1:16



☐ (E) Equal spacing
☐ (V) Variable legend

Ground Mounted

REV'D /


SIGN NUMBER	80-9077
PANEL SIZE	5'-0" x 2'-6"
SIGN AREA	12.5 Sq.Ft.
MUTCD	R11-3a
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jul 23, 2018

[illegible]

1:16



- Ⓔ Equal spacing
- Ⓕ Variable legend

Material : Not specified

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted

REV'D /

SIGN NUMBER	80-9078
PANEL SIZE	5'-0" x 2'-6"
SIGN AREA	12.5 Sq.Ft.
MUTCD	R11-3a
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


[illegible]

FILE : 80-9078

Jul 23, 2018

[illegible]

1:25

[illegible]

Sep 08, 2018

[illegible]

1:16



Ground Mounted

REV'D /

SIGN NUMBER	80-9080
PANEL SIZE	4'-0" x 2'-6"
SIGN AREA	10.0 Sq.Ft.
MUTCD	R11-2
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jul 23, 2018

[illegible]

1:20



Ground Mounted

[illegible]

Jul 23, 2018

[illegible]

1:16




Ground Mounted

[illegible]

Jun 26, 2019

[illegible]

1:18



Ground Mounted

REV'D /


SIGN NUMBER	80-9083
PANEL SIZE	5'-0" x 2'-6"
SIGN AREA	12.5 Sq.Ft.
MUTCD	R11-3a(CT)
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 07, 2018

[illegible]

1:23



Ground Mounted

REV'D /

[illegible]

Sep 07, 2018


[illegible]

1:10

[illegible]

FILE : 80-9401

Dimension are in Inches
Material : Not specified
Engineer : A. Mermelstein Designed By: J. Fascione Checked By: _____
Ground Mounted




W1-8R

REV'D /

[illegible]

SIGN DETAIL




W1-8R

SIGN NUMBER	80-9403
SIGN PANEL	2'-0" x 2'-6"
TOTAL (Sq.ft.)	5.0
MUTCD	W1-8
BDR INSET/WIDTH	N/A
CORNER RADIUS	1.5
BACKGROUND	TYPE: * COLOR: Orange
SYMBOL/BORDER	TYPE: * COLOR: Black/
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 7/24/2018


A	B	C	D	E	F
24	30	12	15	.875	1.5



W1-8L

Dimensions are in inches.
Material : Not specified
Side Mounted
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

SIGN DETAIL



W1-8R

SIGN NUMBER	80-9404
SIGN PANEL	2'-6" x 3'-0"
TOTAL (Sq.ft.)	7.5
MUTCD	W1-8
BDR INSET/WIDTH	N/A
CORNER RADIUS	1.875"
BACKGROUND	TYPE: * COLOR: Orange
SYMBOL/BORDER	TYPE: * COLOR: Black/
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 7/24/2018


A	B	C	D	E	F
30	36	15	18	1	1.875



W1-8L

Dimensions are in inches.
Material : Not specified
Side Mounted
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

1:20




Ground Mounted

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	270	5.8	3.9	16.2	36.4

Jul 16, 2020

[illegible]

SIGN DETAIL



SIGN NUMBER	80-9431
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.ft.)	9.0
MUTCD	W1-4R
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Orange
ARROW/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 7/24/2018

A	B	C	D	E	F	G	H
36	.625	.875	4.719	2.25	7.5	.469	5.25

J	K	L	M	N	P	Q
16.875	12.375	7.875	5.25	1.688	3.938	2.25

Dimensions are in inches.


Material : .080 Thk. Sheet Aluminum

Side Mounted

Location : N/A

Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

SIGN DETAIL



SIGN NUMBER	80-9432
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.ft.)	9.0
MUTCD	W1-4L
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Orange
ARROW/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /


PLOTTED : 7/24/2018

A	B	C	D	E	F	G	H
36	.625	.875	4.719	2.25	7.5	.469	5.25

J	K	L	M	N	P	Q
16.875	12.375	7.875	5.25	1.688	3.938	2.25

Dimensions are in inches.
 Material : .080 Thk. Sheet Aluminum
 Side Mounted
 Location : N/A
 Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

1:20

[illegible][illegible]

1:22




Ground Mounted

[illegible]

Jul 25, 2018

[illegible]

1:20



Ground Mounted

REV'D /

SIGN NUMBER	80-9435
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W1-4b(CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

7/25/2018

[illegible]

1:22




Ground Mounted

[illegible]

Jul 25, 2018

1:25



Ground Mounted

REV'D /


SIGN NUMBER	80-9443
PANEL SIZE	5'-0" x 5'-0"
SIGN AREA	25.0 Sq.Ft.
MUTCD	W1-4b(CT)
BDR INSET/WIDTH	1" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jul 25, 2018

[illegible]

1:25



Ground Mounted


REV'D /

[illegible]

Jul 25, 2018

[illegible]

1:25



Ground Mounted

REV'D /

[illegible]

Jul 25, 2018

[illegible]

1:25




REV'D /

[illegible]

Jul 25, 2018

[illegible]


SIGN DETAIL



SIGN NUMBER	80-9451
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W1-4
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 7/26/2018



ARROWHEAD DETAIL
N.T.S.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
48	.75	1.25	6.313	3	10	.625	7	22.5	16.5	10.5	7	2.25	5.25	3

Dimensions are in inches.


Material : Not specified

Side Mounted

Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

R	S	T	U	V
7	8	14.1875	1.0625	1.375

SIGN DETAIL




A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
48	.75	1.25	6.313	3	10	.625	7	22.5	16.5	10.5	7	2.25	5.25	3

SIGN NUMBER	80-9452
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W1-4
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /


PLOTTED : 7/26/2018



Dimensions are in inches.
Material : Not specified
Side Mounted
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

R	S	T	U	V
7	8	14.1875	1.0625	1.375

1:25



Ground Mounted


REV'D /

	SYMBOL	ROT	X	Y	WID	HT

Jul 26, 2018

[illegible]

1:25



Ground Mounted

REV'D /


SIGN NUMBER	809484
PANEL SIZE	5'-0" x 5'-0"
SIGN AREA	25.0 Sq.Ft.
MUTCD	W1-4c (CT)
BDR INSET/WIDTH	1" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
ARROW/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jul 26, 2018

[illegible]

1:25



Ground Mounted


REV'D /

SIGN NUMBER	809485
PANEL SIZE	5'-0" x 5'-0"
SIGN AREA	25.0 Sq.Ft.
MUTCD	W1-4c (CT)
BDR INSET/WIDTH	1" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jul 26, 2018

1:25




Ground Mounted

[illegible]

Jul 26, 2018

[illegible]

1:30



Ground Mounted

REV'D /


SIGN NUMBER	80-9487
PANEL SIZE	6'-0" x 5'-0"
SIGN AREA	30.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
Arrow	0	4	17	20.7	36
Arrow	0	18.1	17	20.7	36
Arrow	0	32.1	17	20.7	36
Arrow	0	46.3	17	20.7	36

Sep 08, 2018

[illegible]

1:30



Ground Mounted

REV'D /


SIGN NUMBER	80-9488
PANEL SIZE	6'-0" x 5'-0"
SIGN AREA	30.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
Arrow	180	5	17	20.7	36
Arrow	180	19.2	17	20.7	36
Arrow	180	33.2	17	20.7	36
Arrow	180	47.2	17	20.7	36

Sep 08, 2018

[illegible]

1:25




REV'D /

SYMBOL	ROT	X	Y	WID	HT
Arrow	0	4	6	20.7	36
Arrow	0	18.1	6	20.7	36
Arrow	0	32.1	6	20.7	36
Arrow	0	46.3	6	20.7	36

Sep 08, 2018

[illegible]

1:25



Ground Mounted

REV'D /



SIGN NUMBER	80-9490
PANEL SIZE	6'-0" x 4'-0"
SIGN AREA	24.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: /Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
Arrow	180	5	6	20.7	36
Arrow	180	19.2	6	20.7	36
Arrow	180	33.2	6	20.7	36
Arrow	180	47.3	6	20.7	36

Sep 08, 2018

[illegible]


SIGN DETAIL



ARROW DETAIL
N.T.S.

SIGN NUMBER	80-9494
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W1-4c
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: Orange
SYMBOL/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 10/1/2018





D.O.T. D-15 ARROWHEAD DETAIL
N.T.S.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R
4	4.625	8.125	.625	.8125	48	9.39	12.14	8.55	8.53	11	2.86R	3.72	4	1.72	3.42

Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :


SIGN DETAIL



ARROW DETAIL
N.T.S.

SIGN NUMBER	80-9496
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W1-4c
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: Orange
SYMBOL/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 10/1/2018




D.O.T. D-15 ARROWHEAD DETAIL
N.T.S.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R
4	4.625	8.125	.625	.8125	48	9.39	12.14	8.55	8.53	11	2.86R	3.72	4	1.72	3.42

Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :


1:30

[illegible]

Jul 27, 2018

[illegible]

SIGN DETAIL




A	B	C	D	E	F	G	H	J	K	L	M
36	.625	.875	10	12	9	15	9	9	2.25	2	3E
N	P	Q	R	S	T	U	V				
1	12C	7	5.46	7.126	.375	.625	2.25				

SIGN NUMBER	80-9520
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.ft.)	9.0
MUTCD	W3-5
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D /

PLOTTED : 11/6/2018



Dimensions are in inches.
Material : Not Specified
Side Mounted
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

SIGN DETAIL




A	B	C	D	E	F	G	H	J	K	L	M
48	.75	1.25	11.75	18	10.75	19.25	12	12	3	2.25	4E
N	P	Q	R	S	T	U	V				
1.25	15C	9.327	7.279	9.258	.375	.625	3				

Dimensions are in inches.
Material : Not Specified
Side Mounted
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :


SIGN NUMBER	80-9521
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.ft.)	9.0
MUTCD	W3-5
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 11/6/2018



1:12




Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

REV'D /

[illegible]

Jul 28, 2018

1:22



Ground Mounted


REV'D /

SIGN NUMBER	80-9605
PANEL SIZE	3'-6" x 4'-0"
SIGN AREA	14.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Feb 21, 2019

1:22



Ground Mounted


REV'D /

SIGN NUMBER	80-9607
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Jul 30, 2018

1:22




REV'D /

[illegible]

Oct 01, 2018

1:28




Ground Mounted

REV'D /

[illegible]

Oct 01, 2018

1:10

[illegible]

Oct 26, 2020

1:15




Ground Mounted

[illegible]


Jul 30, 2018

1:22

[illegible]

Nov 07, 2018

1:28



Ⓟ Variable Legend

Material :Not specified

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted



[illegible]

FILE : 80-9615

Jul 30, 2018

[illegible]

1:22



REV'D /

SIGN NUMBER	80-9616
PANEL SIZE	4'-1" x 4'-1"
SIGN AREA	16.4 Sq.Ft.
MUTCD	W21-8 (CT)
BDR INSET/WIDTH	0" / 0"
CORNER RADIUS	0"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


[illegible]

Oct 01, 2018

SERIES/SIZE

[illegible]

1:30




REV'D /

SYMBOL	ROT	X	Y	WID	HT

Oct 01, 2018

SERIES/SIZE

1:22



REV'D 11/18

Revised to 0000 FT (Variable).

SIGN NUMBER	80-9620
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	W22-1
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

11/7/2018


LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

1:20




REV'D /

[illegible]

Aug 01, 2018

1:20



1:30




Ground Mounted

[illegible]

11/7/2018


1:12



SYMBOL	ROT	X	Y	WID	HT
ARROW	180	3	1.9	42.3	14.2

Aug 01, 2018

1:12




REV'D /

SYMBOL	ROT	X	Y	WID	HT
ARROW	0	3	1.9	42.3	14.2

Aug 01, 2018

1:15



Ground Mounted

REV'D /

SYMBOL	ROT	X	Y	WID	HT
6_10	0	13.1	14.8	3.8	7.2
ARUP	90	8	2.7	4.1	14

Aug 07, 2018

[illegible]


1:15



60°

45°

VARIABLE ARROW EXAMPLES



E) Equal Spacing

V) Variable arrow direction

Dimensions are in Inches

Material : Not specified

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted

REV'D /


SIGN NUMBER	80-9706
PANEL SIZE	2'-6" x 2'-6"
SIGN AREA	6.3 Sq.Ft.
MUTCD	M4-9b
BDR INSET/WIDTH	0.38" / 0.75"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: * *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
6_10	0	13.1	19.4	3.8	7.2
ARUP	360	12.9	3.3	4.1	7.1

FILE : 80-9706

Aug 07, 2018

1:7



Ground Mounted


REV'D /

SIGN NUMBER	80-9707
PANEL SIZE	2'-0" x 1'-0"
SIGN AREA	2.0 Sq.Ft.
MUTCD	M4-8
BDR INSET/WIDTH	0.38" / 0.44"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 08, 2018

1:10



Ground Mounted


REV'D /

SIGN NUMBER	80-9708
PANEL SIZE	2'-0" x 1'-6"
SIGN AREA	3.0 Sq.Ft.
MUTCD	M4-8a
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 08, 2018

1:12



Variable arrow & arrow direction

Dimensions are in Inches

Material : Not specified

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted



Not To Scale

REV'D /


SIGN NUMBER	387-80-9710
PANEL SIZE	2'-6" x 2'-0"
SIGN AREA	5.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

SYMBOL	ROT	X	Y	WID	HT
ARMED	0	9.6	4.2	6.8	10.9
ARMED	90	9.6	4.2	6.8	10.9
AR_Type C 90R	0	10.3	4.2	7.6	9.3
AR_Type C 90L	0	10.3	4.2	7.6	9.3

FILE : 80-9710

Aug 08, 2018


1:22

[illegible]

Aug 08, 2018

[illegible]

1:28




REV'D /

[illegible]

Aug 08, 2018

[illegible]

1:15



V) Variable 8" E numbers

Ground Mounted

REV'D /

SIGN NUMBER	80-9720
PANEL SIZE	6'-0" x 1'-2"
SIGN AREA	7.0 Sq.Ft.
MUTCD	G20
BDR INSET/WIDTH	0.38" / 0.44"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 08, 2018

[illegible]

1:50



Ground Mounted

REV'D 11/18

Revised Sign panel size to 120"x108".

SIGN NUMBER	80-9728
PANEL SIZE	10'-0" x 9'-0"
SIGN AREA	90.0 Sq.Ft.
MUTCD	G20-1 (CT
BDR INSET/WIDTH	1.25" / 2"
CORNER RADIUS	11"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


SYMBOL	ROT	X	Y	WID	HT
8.					

FILE : 80-9728

Aug 08, 2018

[illegible]

1:25




REV'D /

[illegible]

Aug 25, 2018

[illegible]

1:28



Ground Mounted

REV'D /


SIGN NUMBER	80-9802
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W8-1(CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 25, 2018

[illegible]

1:25




REV'D /

SYMBOL	ROT	X	Y	WID	HT
Flagger	0	9.6	9.7	28.2	28.1

Aug 25, 2018

[illegible]

1:28




SYMBOL	ROT	X	Y	WID	HT
Flagger	0	13	12.9	37.6	37.5

Aug 25, 2018

[illegible]

1:22



REV'D /


[illegible]

11/6/2018

SERIES/SIZE

[illegible]

1:28



Ground Mounted


REV'D /

[illegible]

Aug 27, 2018

[illegible]

1:25




- Dimensions are in Inches
Material : Not Specified
Engineer : B. Schilling / Designed By: J. Fascione / Checked By: _____
Ground Mounted

[illegible]

FILE : 80-9810 Sep 10, 2018

[illegible]

1:30



Ground Mounted

Revised width from 88" to 96".

SIGN NUMBER	80-9815
PANEL SIZE	8'-0" x 4'-0"
SIGN AREA	32.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Aug 30, 2018

[illegible]

1:30




Ground Mounted

[illegible]

Aug 30, 2018

[illegible]

1:25




REV'D /

[illegible]

Aug 30, 2018

[illegible]


1:30

[illegible]

Aug 30, 2018

[illegible]

1:30



Ground Mounted

REV'D /


SIGN NUMBER	80-9836
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W9-1(CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 01, 2018

[illegible]

1:30



Ground Mounted

REV'D /

SIGN NUMBER	80-9837
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W9-1(CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 01, 2018

[illegible]


1:30



Sep 01, 2018

[illegible]

1:30



Ground Mounted

REV'D /


SIGN NUMBER	80-9839
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W9-1(CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 01, 2018

[illegible]

1:30




Ground Mounted

REV'D /

[illegible]

1/8/2018

1:30



Ground Mounted


REV'D /

[illegible]

1/8/2018

[illegible]


1:30



REV'D /

Sep 01, 2018

1:30



Ground Mounted

REV'D /


SIGN NUMBER	80-9847
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W9-1(CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 01, 2018

[illegible]

1:30



Ground Mounted

REV'D /


SIGN NUMBER	80-9847
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W9-1(CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 01, 2018

[illegible]

1:25



Ground Mounted


REV'D /

[illegible]

Sep 11, 2018

[illegible]

1:10




⑤ VARIABLE LEGEND (LEFT or RIGHT)

ENGINEER : PJC DESIGNED BY : GMF CHECKED BY : _____

REV'D /

[illegible]

1:20



SIGN NUMBER	80-9851
SIGN PANEL	9.0 Sq.Ft.
EXIT CROWN	
TOTAL (Sq.ft.)	9.0 Sq.Ft.
BDR INSET/WIDTH	0" / 0"
CORNER RADIUS	0"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

MATERIAL : .

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION : N/A

PROJECT NO. N/A

ENGINEER : MAC DESIGNED BY : MJC CHECKED BY : _____

[illegible]

1:20



Ground Mounted


SIGN NUMBER	80-9852
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Mar 02, 2020

[illegible]

1:20



Ground Mounted

REV'D /

SIGN NUMBER	80-9864
PANEL SIZE	6'-0" x 3'-0"
SIGN AREA	18.0 Sq.Ft.
MUTCD	EM-2(CT)
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


[illegible]

Nov 07, 2018

[illegible]

1:10

1:12



⑤ Variable legend (Distance/Mile(s))

Material : Not Specified

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted


REV'D /

[illegible]

FILE : 80-9873

Sep 11, 2018

1:25




REV'D /

[illegible]



Sep 12, 2018

1:28



Sep 12, 2018




SIGN DETAIL



SIGN NUMBER	80-9903
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W9-3a (CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 10/3/2018








ARROWHEAD D15 DETAIL
N.T.S.

A	B	C	D	E
4	4.625	8.125	.625	.8125

Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B.Schilling / Designed By : J. Fascione / Checked By :

SIGN DETAIL



ARROWHEAD D15 DETAIL
N.T.S.

A	B	C	D	E
4	4.625	8.125	.625	.8125






SIGN NUMBER	80-9904
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W9-3a (CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 10/3/2018

Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B.Schilling / Designed By : J. Fascione / Checked By :

SIGN DETAIL



ARROWHEAD D15 DETAIL
N.T.S.

A	B	C	D	E
5.25	6	10.625	.8125	1.0625

SIGN NUMBER	80-9905
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W9-3a (CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 10/3/2018

Dimensions are in inches.


Material : Not Specified

Side Mounted

Location : N/A

Engineer : B.Schilling / Designed By : J. Fascione / Checked By :

1:18



Ground Mounted

REV'D /

SIGN NUMBER	80-9908
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	R10-28(CT)
BDR INSET/WIDTH	0.63" / 0.88"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: White
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 10, 2018

1:15

7'-4"

1'-6"

LINE PAINTING

5"

8"

5"

6.3"

75.4"

6.3"


Ground Mounted

REV'D /

[illegible]

Sep 13, 2018

1:28



Ground Mounted

REV'D /


SIGN NUMBER	80-9910
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W9-2
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 12, 2018

[illegible]

1:28

[illegible]

Sep 12, 2018

[illegible]

1:10

V

E

Diagram of a rectangular variable speed limit sign. The sign is orange with a black border and rounded corners. It features the text "Variable" in large black font, followed by "Rd" in large black font. To the left of "Variable" is a small circle containing the letter "E", and to the right of "Rd" is a small circle containing the letter "V". The sign is surrounded by dimension lines indicating its size: overall width is 5'-0", overall height is 0'-10", and the text area is 38.1" wide. The sign is also labeled with "11\"", "38.1\"", and "10.9\"" along the bottom edge, and "2\"", "6\"", and "2\"" along the right edge.

Ground Mounted

REV'D /

SIGN NUMBER	80-9913
PANEL SIZE	5'-0" x 0'-10"
SIGN AREA	4.2 Sq.Ft.
MUTCD	D3-1
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 13, 2018

1:20



V) Variable legend

Material : Not Specified

Engineer : B. Schilling / Designed By: J. Fascione / Checked By:_____

Ground Mounted


REV'D /

[illegible]

FILE : 80-9914

Sep 13, 2018

1:20



Ground Mounted

REV'D /

SIGN NUMBER	80-9915
PANEL SIZE	4'-0" x 3'-0"
SIGN AREA	5.56 Sq.Ft.
MUTCD	W14-3
BDR INSET/WIDTH	0.38" / 0.44"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	


[illegible]

11/6/2018

[illegible]

1:15

Ⓔ Equal Spacing.



Ground Mounted

REV'D /


SIGN NUMBER	80-9916
PANEL SIZE	4'-0" x 0'-10"
SIGN AREA	3.3 Sq.Ft.
MUTCD	D3-1
BDR INSET/WIDTH	0.38" / 0.38"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 13, 2018

[illegible]

SIGN DETAIL



SIGN NUMBER	80-9917
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W4-2
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR:Orange
LEGEND/BORDER	TYPE: * COLOR:Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	


REV'D /

PLOTTED : 9/12/2018

Dimensions are in inches.
 Material : Not Specified
 Side Mounted
 Location : N/A
 Engineer : B.Schilling / Designed By : J. Fascione / Checked By :

A	B	C	D	E	F	G	H	J	K	L
48	.75	1.25	16	5.375	6.688	1.25	2.375	4	2	3

SIGN DETAIL



SIGN NUMBER	80-9918
SIGN PANEL	4'-0" x 4-0"
TOTAL (Sq.ft.)	16.0
MUTCD	W4-2
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	


PLOTTED : 9/12/2018

Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B.Schilling / Designed By : J. Fascione / Checked By :

A	B	C	D	E	F	G	H	J	K	L
48	.75	1.25	16	5.375	6.688	1.25	2.375	4	2	3

1:10

MAXIMUM LEGEND LENGTH TO BE 26.3"



SIGN SUPPORT NO. N/A

REV'D __/0_

ENGINEER : J.A.M. DESIGNED BY : M.Cloutier CHECKED BY : _____

SIGN NUMBER	387-80-9919
SIGN PANEL	2.1 Sq.Ft.
EXIT CROWN	_____
TOTAL (Sq.ft.)	_____
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: Plain
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

	SYMBOL	ROT	X	Y	WID	HT

[illegible]

1:10

Diagram of a rectangular variable message sign. The sign has a white background with a black border. The text "Variable Street" is displayed in a large, bold, black sans-serif font, centered on the sign. The dimensions are as follows:

- Overall width: 2'-6"
- Overall height: 1'-6"
- Inner white area width: 26.3"
- Inner white area height: 4'-0"
- Black border width: 1.9" (on all sides)
- Text "Variable" height: 3.5"
- Text "Street" height: 3.6"
- Space between text lines: 4"EM


ENGINEER : J.A.M. DESIGNED BY : M.Cloutier CHECKED BY : _____

REV'D __/0_

SIGN NUMBER	387-80-9920
SIGN PANEL	3.8 Sq.Ft.
EXIT CROWN	-----
TOTAL (Sq.ft.)	-----
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: Plain
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible][illegible]

SIGN DETAIL



SIGN NUMBER	80-9921
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.ft.)	9.0
MUTCD	W4-2L
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: * COLOR: Orange
LEGEND/BORDER	TYPE: * COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 10/3/2018

Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :


A	B	C	D	E	F	G	H	J	K	L
36	.625	.875	12	4	5	1	1.25	3	1.5	2.25

SIGN DETAIL

SIGN NUMBER	80-9922
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.ft.)	9.0
MUTCD	W4-2R
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: * COLOR:Orange
LEGEND/BORDER	TYPE: * COLOR:Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	

REV'D /

PLOTTED : 10/3/2018



Dimensions are in inches.
Material : Not Specified
Side Mounted
Location : N/A
Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

A	B	C	D	E	F	G	H	J	K	L
36	.625	.875	12	4	5	1	1.25	3	1.5	2.25

1:30



Ground Mounted

LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

SYMBOL	ROT	X	Y	WID	HT

FILE : 80-9923

11/7/2018

1:30



Ground Mounted

LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]

FILE : 80-9924

11/7/2018

1:20



FILE : 80-9926

Aug 02, 2021

[illegible]

1:30




FILE : 80-9927

Aug 02, 2021

[illegible]

1:20



Ground Mounted

REV'D /

SIGN NUMBER	80-9928
PANEL SIZE	5'-0" x 2'-6"
SIGN AREA	12.5 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: /Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 13, 2018

[illegible]

1:20

4'-0"

4'-0"

Ground Mounted

REV'D /


SIGN NUMBER	80-9929
PANEL SIZE	6'-0" x 4'-0"
SIGN AREA	24.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	1.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: /Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 13, 2018

[illegible]

1:20



Ground Mounted

REV'D /


SIGN NUMBER	80-9933
PANEL SIZE	3'-0" X 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: /Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 13, 2018

[illegible]

1:25



Ground Mounted

REV'D /


SIGN NUMBER	80-9934
PANEL SIZE	4'-0" X 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.75" /1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: /Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 13, 2018

[illegible]

1:30



Ground Mounted


REV'D /

SIGN NUMBER	80-9944
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W5-2
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Nov 06, 2018

1:30




REV'D /

SYMBOL	ROT	X	Y	WID	HT
AR_Type D	0	31.6	15.4	14.9	35
AR_Type D	180	18.3	14.4	14.9	35

Sep 13, 2018

[illegible]

SIGN DETAIL



S	T	O	P
1.5	5.4	9	13.2

S	L	O	W
2.7	5.8	8.4	11.5

SIGN NUMBER	80-9950
SIGN PANEL	1'-6" x 1'-6"
TOTAL (Sq.ft.)	2.25
MUTCD	R1-1/W20-8
BDR INSET/WIDTH	N/A
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: See Sign
LEGEND/BORDER	TYPE: *
	COLOR: See Sign
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".	
REV'D /	

PLOTTED : 8/14/2018

Notes :

Handle to be sufficient length so that the bottom of the sign will be 6 feet above the ground.

Sign to be attached to the handle as required, but not to obstruct sign messages.

Dimensions are in inches.


Material : Not Specified

Reversible Stop-Slow Paddle

Location : N/A

Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

1:25


[illegible]

REV'D /

Oct 26, 2020

[illegible]

1:30



Ground Mounted

REV'D /


SIGN NUMBER	80-9956
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W8-(CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Nov 05, 2018

[illegible]


1:28

[illegible]

Sep 14, 2018

[illegible]

1:23




Ground Mounted

[illegible]

Sep 14, 2018

[illegible]

1:28



Ground Mounted

REV'D /


SIGN NUMBER	80-9959
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W8-25(CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Orange
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".	

[illegible]

Sep 14, 2018

[illegible]

1:12



Ground Mounted

REV'D /

[illegible]

LETTER POSITIONS (X)

LENGTH

SERIES/SIZE

[illegible]